

References

1. Shaw EAG. Eardrum representation in middle-ear acoustical networks. *Meet Acoust Soc Am* 1977;94.
2. Helmholtz H. Die Lehre von der Tonempfindung; 1862.
3. Trendelenburg F. Einführung in die Akustik, 3.Aufl. ed. Berlin/Göttingen/ Heidelberg: Springer; 1961.
4. Ackley RS, Traynor RM. Measurement of ear canal resonance. *Hearing Instruments* 1989;40:11.
5. Rodriguez Jorge J, Zenner HP, Hemmert W, Burkhardt C, Gummer AW. Laservibrometrie. *HNO* 1997;45:997-1007.
6. Hartwein J. Untersuchungen zur Akustik der offenen Mastoidhöhle (sog. „Radikalhöhle“) und deren Beeinflußbarkeit durch chirurgische Maßnahmen. Teil I: Physikalische Grundlagen, experimentelle Untersuchungen. *Laryng Rhinol Otol* 1992;71:401-406.
7. Molvaer OI, Vallersnes FM, Kringlebotn M. The size of the middle ear and the mastoid air cell. *Acta Otolaryngol* 1978;85:24-32.
8. Rosowski JJ, Merchant SN. Mechanical and acoustic analysis of middle ear reconstruction. *Am J Otol* 1995;16:486-497.
9. Mercke U. The cholesteatomatous ear one year after surgery with obliteration technique. *Am J Otol* 1987;8:534-536.
10. Palva P. Surgical Treatment of Chronic Middle Ear Disease. *Acta Otolaryngol (Stockholm)* 1987;104:279-284.
11. Hartwein J. Untersuchungen zur Akustik der offenen Mastoidhöhle (sog. „Radikalhöhle“) und deren Beeinflußbarkeit durch chirurgische Maßnahmen. Teil II: Klinische Untersuchungen. *Laryng Rhinol Otol* 1992;71:453-461.
12. Satar B, Yetiser S, Ozkaptan Y. Evolving acoustic characteristics of the canal wall down cavities due to neo-osteogenesis by periosteal flap. *Otol Neurotol* 2002;23:845-849.
13. Mahendran S, Yung MW. Mastoid obliteration with hydroxyapatite cement: the Ipswich experience. *Otol Neurotol* 2004;25:19-21.
14. Roberson JB, Jr., Mason TP, Stidham KR. Mastoid obliteration: autogenous cranial bone pAte reconstruction. *Otol Neurotol* 2003;24:132-140.
15. Tsai TL, Lien CF, Guo YC. Mastoid obliteration surgery with cartilage for suppurative cholesteatomatous ears. *Zhonghua Yi Xue Za Zhi (Taipei)* 2002;65:523-528.
16. Soo G, Tong MC, van Hasselt CA. Mastoid obliteration and lining using the temporoparietal fascial flap. *Laryngoscope* 1997;107:1674.
17. Moffat DA, Gray RF, Irving RM. Mastoid obliteration using bone pate. *Clin Otolaryngol* 1994;19:149-157.
18. East CA, Brough MD, Grant HR. Mastoid obliteration with the temporoparietal fascia flap. *J Laryngol Otol* 1991;105:417-420.
19. Chang SO, Min YG, Kim CS, Koh TY. Surgical management of congenital aural atresia. *Laryngoscope* 1994;104:606-611.
20. House HP. Management of congenital ear canal atresia. *Laryngoscope* 1953;63:916-946.
21. Bauer GP, Wiet RJ, Zappia JJ. Congenital aural atresia. *Laryngoscope* 1994;104:1219-1224.
22. McKinnon BJ, Jahrsdoerfer RA. Congenital auricular atresia: update on options for intervention and timing of repair. *Otolaryngol Clin North Am* 2002;35:877-890.
23. Cole RR, Jahrsdoerfer RA. Congenital aural atresia. *Clin Plast Surg* 1990;17:367-371.
24. Chandrasekhar SS, De la Cruz A, Garrido E. Surgery of congenital aural atresia. *Am J Otol* 1995;16:713-717.
25. Crabtree JA. Congenital atresia: case selection, complications, and prevention. *Otolaryngol Clin North Am* 1982;15:755-762.
26. Bellucci RJ. Congenital Aural Malformations: Diagnosis and Treatment. *Otolaryngol Clin North Am* 1981;14:95-124.
27. Jahrsdoerfer RA, Yeakley JW, Aguilar EA, Cole RR, Gray LC. Grading system for the selection of patients with congenital aural atresia. *Am J Otol* 1992;13:6-12.
28. Lambert PR. Congenital aural atresia: stability of surgical results. *Laryngoscope* 1998;108:1801-1805.
29. De la Cruz A, Linthicum FH, Jr., Luxford WM. Congenital atresia of the external auditory canal. *Laryngoscope* 1985;95:421-427.
30. Minatogawa T, Nishimura Y, Inamori T, Kumoi T. Results of tympanoplasty for congenital aural atresia and stenosis, with special reference to fascia and homograft as the graft material of the tympanic membrane. *Laryngoscope* 1989;99:632-638.
31. Schuknecht HF. Congenital aural atresia. *Laryngoscope* 1989;99:908-917.
32. Jahrsdoerfer RA. Congenital atresia of the ear. *Laryngoscope* 1978;88:1-48.
33. Sperling NM, Kay D. Diagnosis and management of the lateralized tympanic membrane. *Laryngoscope* 2000;110:1987-1993.
34. Yotsuyanagi T, Urushidate S, Nihei Y, Yokoi K, Sawada Y. Reconstruction of congenital stenosis of external auditory canal with a postauricular chondrocutaneous flap. *Plast Reconstr Surg* 1998;102:2320-2324.
35. Chang SO, Jeon SJ, Jeong HS, Kim CS. Prevention of postoperative meatal stenosis with anteriorly and inferiorly based periosteal flaps in congenital aural atresia surgery. *Otol Neurotol* 2002;23:25-28.
36. Bell DR. External auditory canal stenosis and atresia: dual flap surgery. *J Otolaryngol* 1988;17:19-21.
37. Dhooge IJ, Vermeersch HF. The use of two pedicled skin flaps in the surgical treatment of acquired atresia of the outer ear canal. *Clin Otolaryngol* 1999;24:58-60.
38. Furuta S, Noguchi M, Takagi N. Reconstruction of stenotic external auditory canal with a postauricular chondro-

- cutaneous flap. *Plast Reconstr Surg* 1994;94:700-704.
39. Siegert R, Weerda H. Two-step external ear canal construction in atresia as part of auricular reconstruction. *Laryngoscope* 2001;111:708-714.
40. Siegert R. Combined reconstruction of congenital auricular atresia and severe microtia. *Laryngoscope* 2003;113:2021-2027; discussion 2028-2029.
41. Jahrsdoerfer RA. The facial nerve in congenital middle ear malformations. *Laryngoscope* 1981;91:1217-1225.
42. Lambert PR, Dodson EE. Congenital malformations of the external auditory canal. *Otolaryngol Clin North Am* 1996;29:741-760.
43. Altmann F. Congenital atresia of the ear in man and animals. *Ann Otol Rhinol Laryngol* 1955;64:824-858.
44. Gill NW. Congenital atresia of the ear. A review of the surgical findings in 83 cases. *J Laryngol Otol* 1969;83:551-587.
45. Siegert R, Weerda H, Mayer T, Bruckmann H. [High resolution computerized tomography of middle ear abnormalities]. *Laryngorhinootologie* 1996;75:187-194.
46. Mattox DE, Fisch U. Surgical correction of congenital atresia of the ear. *Otolaryngol Head Neck Surg* 1986;94:574-577.
47. Jahrsdoerfer RA, Hall JW, 3rd. Congenital malformations of the ear. *Am J Otol* 1986;7:267-269.
48. Rosowski JJ. The effects of external and middle ear filtering on auditory threshold and noise induced hearing loss. *J Acoust Soc Am* 90 1991;90:124-135.
49. Austin DF. Acoustic mechanisms in middle ear sound transfer. *Otolaryngologic Clinics of North America* 1994;27:641-654.
50. Peake WT, Rosowski JJ, Lynch TJ. Middle-ear transmission: acoustic versus ossicular coupling in cat and human. *Hear Res* 1992;57:245-268.
51. Wever EG, Lawrence M. Physiological Acoustics. In, Princeton; 1954.
52. Merchant S-N, McKenna MJ, Rosowski J-J. Current status and future challenges of tympanoplasty. *Eur Arch Otolaryngol* 1998;255:221-228.
53. Murbe D, Zahnert T, Bornitz M, Hüttner K-B. Acoustic properties of different cartilage reconstruction techniques of the tympanic membrane. *Laryngoscope* 2002;112:1769-1776.
54. Dornhoffer JL. Hearing Results With Cartilage Tympanoplasty. *Laryngoscope* 1997;107:1094-1099.
55. Hüttner K-B. Zur Rekonstruktion des Schalleitungsapparates unter biomechanischen Gesichtspunkten. *Laryng Rhinol Otol* 2000;79:23-51.
56. Hüttner K-B. Die operative Behandlung der chronischen Otitis media. I-III. *HNO* 1994;42:582-593, 648-657, 701-718.
57. Hildmann H, Sudhoff H, Jahnke K. Grundzüge einer differenzierten Cholesteatomchirurgie. *Laryng Rhinol Otol* 2000;Suppl. 2:73-94.
58. Jahnke K. Fortschritte in der Mikrochirurgie des Mittelohres. *HNO* 1987;35:1-13.
59. Stage J, Bak-Pedersen K. Underlay tympanoplasty with the graft lateral to the malleus handle. *Clin Otolaryngol* 1992;17:6-9.
60. Kartush JM, Michaelides EM, Becharovski Z, LaRouere MJ. Over-under tympanoplasty. *Laryngoscope* 2002;112:802-807.
61. Karlan MS. Gelatin film sandwich in tympanoplasty. *Otolaryngol Head Neck Surg* 1979;87:84-86.
62. Schwaber MK. Postauricular under-surface tympanic membrane grafting: some modifications of the „swinging door“ technique. *Otolaryngol Head Neck Surg* 1986;95:182-187.
63. Williams JD. Microclip application in tympanoplasty. *Ann Otol Rhinol Laryngol* 1977;86:223-226.
64. Liew L, Daudia A, Narula AA. Synchronous fat plug myringoplasty and tympanostomy tube removal in the management of refractory otorrhoea in younger patients. *Int J Pediatr Otorhinolaryngol* 2002;66:291-296.
65. Kartush JM. Tympanic membrane Patcher: a new device to close tympanic membrane perforations in an office setting. *Am J Otol* 2000;21:615-620.
66. McFeely WJ, Jr., Bojrab DI, Kartush JM. Tympanic membrane perforation repair using AlloDerm. *Otolaryngol Head Neck Surg* 2000;123:17-21.
67. Wiegand H. [Tympanic membrane repair with cartilage and double tissue-layered grafts (author's transl)]. *HNO* 1978;26:233-236.
68. Milewski C. Composite graft tympanoplasty in the treatment of ears with advanced middle ear pathology. *Laryngoscope* 1993;103:1352-1356.
69. Amedee RG, Mann WJ, Riechelmann H. Cartilage palisade tympanoplasty. *Am J Otol* 1989;10:447-450.
70. Neumann A, Schultz-Coulon HJ, Jahnke K. Type III tympanoplasty applying the palisade cartilage technique: a study of 61 cases. *Otol Neurotol* 2003;24:33-37.
71. Müller J, Schön F, Helms J. Realities in tympanoplasty. In Middle ear mechanics in research and otosurgery, Dresden; 1997. 151-157.
72. Schöttke H, Hartwein J, Pau HW. Einfluß unterschiedlicher Transplantatmaterialien bei der Tympanoplastik Typ 1 auf den Schalldruckpegel im Gehörgang. *OtoRhinoLaryngol Nova* 1992;2:318-320.
73. Zahnert T, Bornitz M, Hüttner K-B. Akustische und mechanische Eigenschaften von Trommelfelltransplantaten. *Laryng Rhinol Otol* 1997;76:717-723.
74. Bernal Sprekelsen M, Barberan MT, Lliso MDR. Preliminary functional results of tympanoplasty with palisade cartilage. *Acta Otorrinolaringol Esp (Spain)* 1997;48:341-346.
75. Bernal-Sprekelsen M, Romaguera Lliso MD, Sanz Gonzalo JJ. Cartilage palisades in type III tympanoplasty: ana-

- tomic and functional long-term results. *Otol Neurotol* 2003;24:38-42.
76. Zahnert T, Hüttenbrink K-B, Mürbe D, Bornitz M. Experimental Investigations of the use of Cartilage in Tympanic Membrane Reconstruction. *Am J Otol* 2000;21:322-328.
77. Levinson RM. Cartilage-perichondrial composite graft tympanoplasty in the treatment of posterior marginal and attic retraction pockets. *Laryngoscope* 1987;97:1069-1074.
78. Duckert LG, Muller J, Makielinski KH, Helms J. Composite autograft „shield“ reconstruction of remnant tympanic membranes. *Am J Otol* 1995;16:21-26.
79. Hartwein J, Leuwer RM, Kehrl W. The total reconstruction of the tympanic membrane by „crown cork“ technique. *Otolaryngol* 1992;13:172-175.
80. Tolsdorff P. Tympanoplastik mit Tragusknorpeltranplantat „Knorpeldeckel-Plastik“. *Laryngol Rhinol Otol* 1983;62:97-102.
81. Borkowski G, Sudhoff H, Luckhaupt H. [Autologous perichondrium-cartilage graft in the treatment of total or subtotal perforations of the tympanic membrane]. *Laryngorhinootologie* 1999;78:68-72.
82. Rosowski J, Merchant S (eds). The function and mechanics of normal, diseased and reconstructed middle ears.). The Hague, The Netherlands: Kugler Publications; 2000.
83. Wullstein HL. Operationen zur Verbesserung des Gehörs. In, Stuttgart; 1968.
84. Bekesy Gv. Experiments in hearing. (Reprint). In, Huntington/NY; 1960/1980.
85. Stuhlmann O. The nonlinear transmission characteristics of the Auditory Ossicles. *J Acoust Soc Amer* 1937;9:119-128.
86. Fischler H, Frei EH, Spira D. Dynamic response of Middle-Ear Structures. *J Acoust Soc Am* 1967;41:1220-1231.
87. Gundersen T. Prostheses in the ossicular chain. 1. Mechanics of movement. *Arch Otolaryngol* 1972;96:416-425.
88. Decraemer WF, Khanna SM, Funnell WR. Malleus vibration mode changes with frequency. *Hear Res* 1991;54:305-318.
89. Decraemer WF, Khanna SM. Vibrations on the Malleus Measured Through the Ear Canal. In *Middle Ear Mechanics in Research and Otosurgery*, Dresden; 1997. 32-39.
90. Huber A, al. e. Analysis of ossicular vibration in three dimensions. In *Middle ear mechanics in research and otosurgery*, Dresden; 1997. 82-87.
91. Zahnert T. Laser in der Ohrforschung. *Laryngorhinootologie* 2003;82 Suppl 1:157-180.
92. Willi UB, Ferrazzini MA, Huber AM. The incudo-malleolar joint and sound transmission losses. *Hear Res* 2002;174:32-44.
93. Decraemer WF, Khanna SM. New insights into vibration of the middle ear. In *Second International Symposium on Middle-Ear Mechanics in Research and Otosurgery*, Boston, MA, USA, 1999; 2000. 23-38.
94. Hüttenbrink KB. Zur funktionellen Anatomie des Mittelohrs: Die Haltebänder der Ossikelkette. *Arch f Ohren-, Nasen- und Kehlkopfheilkunde* 1988; Suppl.:102-103.
95. Wada H, Koike T, Kobayashi T. Three-dimensional Finite-Element Method (FEM) analysis of the human middle ear. In *Middle ear mechanics in research and otosurgery*, Dresden; 1997. 76-81.
96. Hudde H, Engel A. Measuring and modeling basic properties of the human middle ear and ear canal. Part I: Model structure and measuring techniques. *Acustica & acta acustica* 1998;84:720-738.
97. Huber A, Linder T, Ferrazzini M, Schmid S, Dillier N, Stoeckli S, Fisch U. Intraoperative assessment of stapes movement. *Ann Otol Rhinol Laryngol* 2001;110:31-35.
98. Zahnert T. Laserinterferometrische Untersuchungen zur Dynamik des gesunden, pathologisch veränderten und rekonstruierten Mittelohres. *Habilitationsschrift* 2003.
99. Geyer G, Rocker J. [Results after rebuilding the ossicular chain using the autogenous incus, ionomer-cement- and titanium implants (tympanoplasty type III)]. *Laryngorhinootologie* 2002;81:164-170.
100. Lang J, Kerr AG, Smyth GD. Transplanted ossicles after two decades. *J Laryngol Otol* 1989;103:471-472.
101. Steinbach E. Zur Bedeutung der unveränderten Gehörknöchelchenform bei Transplantationen im menschlichen Mittelohr. *Arch f Ohren-, Nasen- und Kehlkopfheilkunde* 1973;205:146-149.
102. Eitschberger E. Gefäßentwicklung in Ossikulartransplantaten und -implantaten. *Laryng Rhinol Otol* 1980;59:238-243.
103. Dost P. Biomaterials in reconstructive middle ear surgery. *Laryngo-Rhino-Otol* 2000;79:53-72.
104. Jahnke K, Plester D. Aluminium oxide ceramic implants in middle ear surgery. *Clin Otolaryngol* 1981;6:193-195.
105. Yamamoto E. Aluminum oxide ceramic ossicular replacement prosthesis. *Ann Otol Rhinol Laryngol* 1985;94:149-152.
106. Jahnke K, Plester D, Heimke G. Experiences with Al2O3-ceramic middle ear implants. *Biomaterials* 1983;4:137-138.
107. Reck R. 5 Jahre klinische Erfahrung mit Ceravitalprothesen im Mittelohr. *HNO* 1985;33:166-170.
108. Brewis C, Orrell J, Yung MW. Ceravital revisited: lessons to be learned. *Otol Neurotol* 2003;24:20-23.
109. Goldenberg RA, Emmet JR. Current use of implants in middle ear surgery. *Otol Neurotol* 2001;22:145-152.
110. Grote JJ, van Blitterswijk CA, Kuijpers W. Hydroxyapatite ceramic as middle

- ear implant material: animal experimental results. *Ann Otol Rhinol Laryngol Suppl* 1986;123:1-5.
111. Costantino PD, Friedman CD, Jones K, Chow LC, Pelzer HJ, Sisson GA, Sr. Hydroxyapatite cement. I. Basic chemistry and histologic properties. *Arch Otolaryngol Head Neck Surg* 1991;117:379-384.
112. Gjuric M, Mladina R, Koscak J. [Plastipore prosthesis in the animal experiment]. *Laryngol Rhinol Otol (Stuttg)* 1987;66:522-525.
113. Jahnke K, Dost P, Schrader M. Biocompatibility studies of implants for reconstructive middle ear surgery. In *Transplants and Implants in Otology III*, Amsterdam; 1996. 41-46.
114. Himi T, Igarashi M, Kataura A. Temporal bone histopathology over 15 years post-stapedectomy. *Acta Otolaryngol Suppl* 1988;447:126-134.
115. Schimanski G. [Erosion and necrosis of the long process of the incus after otosclerosis operation]. *HNO* 1997;45:682-689.
116. Heumann H, Steinbach E, Seuffer R. [A clinical and experimental study on precious metal ventilation tubes (author's transl)]. *Laryngol Rhinol Otol (Stuttg)* 1982;61:17-19.
117. Jahnke K, Dost P, Mißfeldt N. Revisionen nach Stapeschirurgie. *HNO* 1999;47:427.
118. Tange RA, Grolman W, Dreschler WA. Gold and titanium in the oval window: a comparison of two metal stapes pros-
- theses. *Otol Neurotol* 2004;25:102-105.
119. Schwager K. Epithelisierung von Titanprothesen im Mittelohr des Kaninchens. Modellvorstellungen zur Mukosaentwicklung. *Laryngo-Rhino-Otol* 1998;77:38-42.
120. Schwager K, Müller J, Schön F. Verträglichkeit von Titan-Prothesen im Mittelohr - Ergebnisse einer klinischen Kontrolle. *HNO* 1999;47:430.
121. Hantson P, Mathieu P, Gersdorff M, Sindic C, Lauwers R. Encephalopathy with seizures after use of aluminium-containing bone cement. *Lancet* 1994;344:1647.
122. Maassen MM, Zenner HP. Tympanoplasty Type 2 With Ionomeric Cement and Titanium-Gold-Angle Prostheses. *The American Journal of Otology* 1998;19:693-699.
123. Ozer E, Bayazit YA, Kanlikama M, Mumtuc S, Ozen Z. Incudostapedial rebridging ossiculoplasty with bone cement. *Otol Neurotol* 2002;23:643-646.
124. Zenner HP, Freitag HG, Linti C, Steinhart U, Rodriguez JJ, Preyer S, Mauz PS, Surth M, Planck H, Baumann I, Lehner R, Eiber A. Acoustomechanical properties of open TTP titanium middle ear prostheses. *Hear Res* 2004;192:36-46.
125. Stupp GH, Dalchow C, Grün D, Stupp HF, Wustrow J. Titan-Prothesen im Mittelohr. 3-Jahres-Erfahrungsbericht. *Laryng Rhinol Otol* 1999;78:299-303.
126. Hüttenbrink KB, Zahnert T, Wustenberg EG, Hofmann G. Titanium clip prosthesis. *Otol Neurotol* 2004;25:436-442.
127. Dalchow CV, Grun D, Stupp HF. Reconstruction of the ossicular chain with titanium implants. *Otolaryngol Head Neck Surg* 2001;125:628-630.
128. Goldenberg RA. Ossiculoplasty with composite prostheses. PORG and TORP. *Otolaryngologic Clinics of North America* 1994;27:727-745.
129. Slater PW, Rizer FM, Schuring AG, W.H. L. Practical Use of Total and Partial Ossicular Replacement Prostheses in Ossiculoplasty. *Laryngoscope* 1997;107:1193-1198.
130. Vartiainen E, Nuutinen J. Long-term hearing results of one-stage tympanoplasty for chronic otitis media. *Eur Arch Otolaryngol* 1992;249:329-331.
131. Fisch U. Total reconstruction of the ossicular chain. *Otolaryngologic Clinics of North America* 1994;27:785-797.
132. Merchant SN, Ravicz ME, Voss SE, Peake WT, Rosowski JJ. Middle ear mechanics in normal, diseased and reconstructed ears. *J Laryng Otol* 1998;112:715-731.
133. Goode RL, Nishihara S. Experimental models of ossiculoplasty. *Otolaryngol Clin North Am* 1994;27:663-675.
134. Hüttenbrink K-B. Akustisch optimierte Mittelohrprothesen. Neue Techniken zur zukünftigen Erforschung und Entwicklung verbesserter Implantate. *HNO* 1997;7:509-511.
135. Zahnert T, Schmidt R, Hüttenbrink K-B, Hardtke H-J. FE-Simulation of vibrations of the Dresden middle ear prosthesis. In *Middle ear mechanics in research and otosurgery*, Dresden; 1997. 200-206.
136. Meister H, Walger M, Mickenhagen A, Stennert E. Messung der Schwingungseigenschaften von Mittelohrimplantaten mit einem mechanischen Mittelohrmodell. *HNO* 1998;46:241-245.
137. Meister H, Stennert E, Wolger M, Klinter HD, Mickenhagen A. Ein Meßsystem zur Überprüfung des akustomechanischen Übertragungsverhaltens von Mittelohrimplantaten. *HNO* 1997;45:81-85.
138. Nishihara S, Goode R. Experimental study of the acoustic properties of incus replacement prostheses in a human temporal bone model. *Am J Otol* 1994;15:485-494.
139. Schuring AG, Lippy WH. Semibiologic middle ear prostheses: ossicle cup and ossicle columella. *Otolaryngol Head Neck Surg* 1982;90:629-624.
140. Eiber A, Freitag H-G, Schimanski G, Zenner HP. On the coupling of prostheses to the middle ear structure and its influence on sound transfer. In *Second International Symposium on Middle-Ear Mechanics in Research and Otosurgery*, Boston, MA, USA, 1999; 2000. 297-308.
141. Eiber A, Freitag H-G, Burkhardt C, Hemmert W, Maassen MM, Jorge JR, Zenner H-P. Dynamics of middle ear prostheses - simulations and measurements. *Audiology & Neuro-Otology* 1999;4:178-184.

142. Morris DP, Bance M, van Wijhe RG, Kieft M, Smith R. Optimum tension for partial ossicular replacement prosthesis reconstruction in the human middle ear. *Laryngoscope* 2004;114:305-308.
143. Vlaming MS, Feenstra L. Studies on the mechanics of the reconstructed human middle ear. *Clin Otolaryngol* 1986;11:411-422.
144. Koike T, Wada H, Kobayashi T, Takasaka T. Finite-element method analysis of a reconstructed middle ear. Proceedings ARO-Meeting (Association of Research in Otology) in Florida 1997.
145. Koike T, Wada H, Kobayashi T. Modeling of the human middle ear using the finite-element method. *The Journal of the Acoustical Society of America* 2002;111:1306-1317.
146. Asai M, Huber A, Goode RL. Analysis of the best site on the stapes footplate for ossicular chain reconstruction. *Acta Otolaryngol* 1999;119:356-361.
147. Fisch U, May J. Tympanoplasty, mastoidectomy and stapes surgery. In, Stuttgart, New York; 1994. 39-40.
148. Huttenbrink KB, Zahnert T, Beutner D, Hofmann G. [The cartilage guide: a solution for anchoring a columella-prosthesis on footplate]. *Laryngorhinootologie* 2004;83:450-456.
149. Huber A, Koike T, Wada H, Nandapalan V, Fisch U. FIXATION OF THE ANTERIOR MALLEAR LIGAMENT: DIAGNOSIS AND CONSEQUENCES FOR HEARING RESULTS IN STAPES SURGERY. *Ann Otol Rhinol Laryngol* 2003;112:348-355.
150. Nakajima HH, Peake WT, Rosowski JJ, Merchant SM. The Effects of Stiffening the Anterior Mallear Ligament. Singapore: World Scientific Publishing Co. Pte.Ltd.; 2004. p. 197-203.
151. Koike T, Wada H, Kobayashi H. Effects of Individual Differences in Size and Stiffness of the Middle Ear on its Sound Transmission. Singapore: World Scientific Publishing Co.; 2004. p. 68-75.
152. Huber A, Koike T, Wada H, Nandapalan V, Fisch U. Fixation of the anterior mallear ligament: diagnosis and consequences for hearing results in stapes surgery. *Ann Otol Rhinol Laryngol* 2003;112:348-355.
153. Zou J, Bretlau P, Pyykko I, Starck J, Toppila E. Sensorineural hearing loss after vibration: an animal model for evaluating prevention and treatment of inner ear hearing loss. *Acta Otolaryngol* 2001;121:143-148.
154. Shea JJ. A 20-year report on fenestration of the oval window. *Trans Sect Otolaryngol Am Acad Ophthalmol Otolaryngol* 1976;82:ORL21-29.
155. Sedwick JD, Louden CL, Shelton C. Stapedectomy vs stapedotomy. Do you really need a laser? *Arch Otolaryngol Head Neck Surg* 1997;123:177-180.
156. Fisch U, Dillier N. Technik und Spätresultate der Stapedotomie. *HNO* 1987;35:252-254.
157. Häusler R. Fortschritte in der Stapeschirurgie. *Laryng Rhinol Otol Suppl* 2 2000;79:95-139.
158. Kursten R, Schneider B, Zrunek M. Long-term results after stapedectomy versus stapedotomy. *Am J Otol* 1994;15:804-806.
159. Kirikae J. The middle ear. The University of Tokyo Press 1960.
160. Huttenbrink KB. Biomechanics of stapesplasty: a review. *Otol Neurotol* 2003;24:548-557; discussion 557-549.
161. Teig E, Lindemann H. Stapedotomy piston diameter - is bigger better? *Oto Rhinolaryngologia Nova* 1999;9:252-256.
162. Jovanovic S. Laser in der Otologie. *Laryngo-Rhino-Otol* 2003;82:21-53.
163. Huber AM, Ma F, Felix H, Linder T. Stapes prosthesis attachment: the effect of crimping on sound transfer in otosclerosis surgery. *Laryngoscope* 2003;113:853-858.