

References

1. Goethe JW. West-östlicher Divan, 1819
2. Olofsson J. Laryngotracheal anatomy and physiology. *Acta Otorhinolaryngol Belg* 1995; 49: 303-311
3. Sasaki CT, Isaacson G. Functional anatomy of the larynx. *Otolaryngol Clin North Am* 1988; 21: 595-612
4. Proctor DF. The upper airways. II. The larynx and trachea. *Am Rev Respir Dis* 1977; 115: 315-342
5. Eckel HE, Sittel C. Morphometric studies at the level of the glottis as a principle in larynx enlarging microlaryngoscopic surgical procedures in bilateral recurrent nerve paralysis. *Laryngol Rhinol Otol* 1994; 73: 417-422
6. Eckel HE, Sittel C. Morphometry of the larynx in horizontal sections. *Am J Otolaryngol* 1995; 16: 40-48
7. Shah MD, Shah SM. The applied physiology of cough. *Indian J Pediatr* 2001; 68 Suppl 2: 3-10
8. Vollrath M. Kehlkopf- und Trachealchirurgie bei Kindern. In: Hildmann HKoch U (Hrsg). Verhandlungsbericht 1999. Berlin; Heidelberg: Springer, 1999, 145-227
9. Holinger LD. Etiology of stridor in the neonate, infant and child. *Ann Otol Rhinol Laryngol* 1980; 89: 397-400
10. Altman KW, Wetmore RF, Marsh RR. Congenital airway abnormalities in patients requiring hospitalization. *Arch Otolaryngol Head Neck Surg* 1999; 125: 525-528
11. Werner JA, Lippert BM, Ankermann T. Transoral treatment of severe laryngomalacia. Review and presentation of a modified surgical technique. *Laryngol Rhinol Otol* 2000; 79: 416-422
12. Masters IB, Chang AB, Patterson L, Wainwright C, Buntain H, Dean BW, Francis PW. Series of laryngomalacia, tracheomalacia, and bronchomalacia disorders and their associations with other conditions in children. *Pediatr Pulmonol* 2002; 34: 189-195
13. Sanchez I, Navarro H, Mendez M, Holmgren N, Caussade S. Clinical characteristics of children with tracheobronchial anomalies. *Pediatr Pulmonol* 2003; 35: 288-291
14. Vollrath M. Laryngomalacia. Definition, diagnosis and therapy. *HNO* 2004; 52: 336-343
15. Shatz A, Goldberg S, Picard E, Kerem E. Pharyngeal wall collapse and multiple synchronous airway lesions. *Ann Otol Rhinol Laryngol* 2004; 113: 483-487
16. Jackson C, Jackson C. Diseases and injuries of the larynx. New York: MacMillan, 1942: pp 63-69
17. Catalfumo FJ, Golz A, Westerman ST, Gilbert LM, Joachims HZ, Goldenberg D. The epiglottis and obstructive sleep apnoea syndrome. *J Laryngol Otol* 1998; 112: 940-943
18. Golz A, Goldenberg D, Westerman ST, Catalfumo FJ, Netzer A, Westerman LM, Joachims HZ. Laser partial epiglottidectomy as a treatment for obstructive sleep apnea and laryngomalacia. *Ann Otol Rhinol Laryngol* 2000; 109: 1140-1145
19. Paulsen FP, Steven P, Tsokos M, Jungmann K, Muller A, Verse T, Pirsig W. Upper airway epithelial structural changes in obstructive sleep-disordered breathing. *Am J Respir Crit Care Med* 2002; 166: 501-509
20. Smith RJ, Bauman NM, Bent JP, Kramer M, Smits WL, Ahrens RC. Exercise-induced laryngomalacia. *Ann Otol Rhinol Laryngol* 1995; 104: 537-541
21. Bent JP, 3rd, Miller DA, Kim JW, Bauman NM, Wilson JS, Smith RJ. Pediatric exercise-induced laryngomalacia. *Ann Otol Rhinol Laryngol* 1996; 105: 169-175
22. Naito A, Niimi S. The larynx during exercise. *Laryngoscope* 2000; 110: 1147-1150
23. Mandell DL, Arjmand EM. Laryngomalacia induced by exercise in a pediatric patient. *Int J Pediatr Otorhinolaryngol* 2003; 67: 999-1003
24. Kenn K, Schmitz M. Vocal cord dysfunction, an important differential diagnosis of severe and implausible bronchial asthma. *Pneumologie* 1997; 51: 14-18
25. Kothe C, Schade G, Fleischer S, Hess M. Vocal cord dysfunction. An important differential diagnosis to bronchial asthma. *HNO* 2004; 52: 261-264
26. Belmont JR, Grundfast K. Congenital laryngeal stridor (laryngomalacia): etiologic factors and associated disorders. *Ann Otol Rhinol Laryngol* 1984; 93: 430-437
27. Gessler EM, Simko EJ, Greinwald JH, Jr. Adult laryngomalacia: an uncommon clinical entity. *Am J Otolaryngol* 2002; 23: 386-389
28. Siou GS, Jeannon JP, Stafford FW. Acquired idiopathic laryngomalacia treated by laser aryepiglottoplasty. *J Laryngol Otol* 2002; 116: 733-735
29. Li HY, Fang TJ, Lin JL, Lee ZL, Lee LA. Laryngomalacia causing sleep apnea in an osteogenesis imperfecta patient. *Am J Otolaryngol* 2002; 23: 378-381
30. Chandra RK, Gerber ME, Holinger LD. Histological insight into the pathogenesis of severe laryngomalacia. *Int J Pediatr Otorhinolaryngol* 2001; 61: 31-38
31. McSwiney PF, Cavanagh NP, Languth P. Outcome in congenital stridor (laryngomalacia). *Arch Dis Child* 1977; 52: 215-218
32. McBride JT. Stridor in childhood. *J Fam Pract* 1984; 19: 782-790
33. Iyer VK, Pearman K, Raafat F. Laryngeal mucosal histology in laryngomalacia: the evidence for gastro-oesophageal reflux laryngitis. *Int J Pediatr Otorhinolaryngol* 1999; 49: 225-230
34. Bouchard S, Lallier M, Yazbeck S, Bensoussan A. The otolaryngologic manifestations of gastroesophageal reflux: when is a pH study indicated? *J Pediatr Surg* 1999; 34: 1053-1056
35. Bobin S, Attal P. Laryngotracheal manifestations of gastroesophageal reflux in children. *Pediatr Pulmonol Suppl* 1999; 18: 73-75

36. Yellon RF, Goldberg H. Update on gastroesophageal reflux disease in pediatric airway disorders. *Am J Med* 2001; 111 Suppl 8A: 78S-84S
37. Gilger MA. Pediatric otolaryngologic manifestations of gastroesophageal reflux disease. *Curr Gastroenterol Rep* 2003; 5: 247-252
38. Jani P, Koltai P, Ochi JW, Bailey CM. Surgical treatment of laryngomalacia. *J Laryngol Otol* 1991; 105: 1040-1045
39. McClurg FL, Evans DA. Laser laryngoplasty for laryngomalacia. *Laryngoscope* 1994; 104: 247-252
40. Roger G, Denoyelle F, Triglia JM, Garabedian EN. Severe laryngomalacia: surgical indications and results in 115 patients. *Laryngoscope* 1995; 105: 1111-1117
41. Wiggs WJ, Jr., DiNardo LJ. Acquired laryngomalacia: resolution after neurologic recovery. *Otolaryngol Head Neck Surg* 1995; 112: 773-776
42. Mancuso RF, Choi SS, Zalzal GH, Grundfast KM. Laryngomalacia. The search for the second lesion. *Arch Otolaryngol Head Neck Surg* 1996; 122: 302-306
43. Altman KW, Wetmore RF, Marsh RR. Congenital airway abnormalities requiring tracheotomy: a profile of 56 patients and their diagnoses over a 9 year period. *Int J Pediatr Otorhinolaryngol* 1997; 41: 199-206
44. Shah UK, Wetmore RF. Laryngomalacia: a proposed classification form. *Int J Pediatr Otorhinolaryngol* 1998; 46: 21-26
45. Senders CW, Navarrete EG. Laser supraglottoplasty for laryngomalacia: are specific anatomical defects more influential than associated anomalies on outcome? *Int J Pediatr Otorhinolaryngol* 2001; 57: 235-244
46. Denoyelle F, Mondain M, Gresillon N, Roger G, Chaudre F, Garabedian EN. Failures and complications of supraglottoplasty in children. *Arch Otolaryngol Head Neck Surg* 2003; 129: 1077-1080; discussion 1080
47. Peron DL, Graffino DB, Zenker DO. The redundant aryepiglottic fold: report of a new cause of stridor. *Laryngoscope* 1988; 98: 659-663
48. Amin MR, Isaacson G. State-dependent laryngomalacia. *Ann Otol Rhinol Laryngol* 1997; 106: 887-890
49. Worley G, Witsell DL, Hulka GF. Laryngeal dystonia causing inspiratory stridor in children with cerebral palsy. *Laryngoscope* 2003; 113: 2192-2195
50. Archer SM. Acquired flaccid larynx. A case report supporting the neurologic theory of laryngomalacia. *Arch Otolaryngol Head Neck Surg* 1992; 118: 654-657
51. Lane RW, Weider DJ, Steinem C, Marin-Padilla M. Laryngomalacia. A review and case report of surgical treatment with resolution of pectus excavatum. *Arch Otolaryngol* 1984; 110: 546-551
52. Chen JC, Holinger LD. Congenital laryngeal lesions: pathology study using serial macrosections and review of the literature. *Pediatr Pathol* 1994; 14: 301-325
53. Zwacka G, Scholle S. Experiences with therapy of pediatric sleep apnea syndrome and obstructive nasopharyngeal respiratory pattern with nasal BIPAP and CPAP therapy. *Pneumologie* 1995; 49 Suppl 1: 152-154
54. Werner JA, Lippert BM, Dunne AA, Ankermann T, Folz BJ, Seyberth H. Epiglottopexy for the treatment of severe laryngomalacia. *Eur Arch Otorhinolaryngol* 2002; 259: 459-464
55. Froehlich P, Seid AB, Denoyelle F, Pransky SM, Kearns DB, Garabedian EN, Morgan A. Discoordinate pharyngolaryngomalacia. *Int J Pediatr Otorhinolaryngol* 1997; 39: 9-18
56. Fauroux B, Pigeot J, Polkey MI, Roger G, Boule M, Clement A, Lofaso F. Chronic stridor caused by laryngomalacia in children: work of breathing and effects of noninvasive ventilatory assistance. *Am J Respir Crit Care Med* 2001; 164: 1874-1878
57. Hoshi K, Ejima Y, Hasegawa R, Saitoh K, Satoh S, Matsukawa S. Differences in respiratory parameters during continuous positive airway pressure and pressure support ventilation in infants and children. *Tohoku J Exp Med* 2001; 194: 45-54
58. Rodriguez JA, Von Dessauer B, Duffau G. Non-invasive continuous positive airways pressure for post-extubation laryngitis in pediatric patients. *Arch Bronconeumol* 2002; 38: 463-467
59. Reed WR, Roberts JL, Thach BT. Factors influencing regional patency and configuration of the human infant upper airway. *J Appl Physiol* 1985; 58: 635-644
60. Aubert G. Alternative therapeutic approaches in sleep apnea syndrome. *Sleep* 1992; 15: S69-72
61. Jeffery HE, Megevand A, Page H. Why the prone position is a risk factor for sudden infant death syndrome. *Pediatrics* 1999; 104: 263-269
62. Reddy DK, Matt BH. Unilateral vs. bilateral supraglottoplasty for severe laryngomalacia in children. *Arch Otolaryngol Head Neck Surg* 2001; 127: 694-699
63. Toynton SC, Saunders MW, Bailey CM. Aryepiglottoplasty for laryngomalacia: 100 consecutive cases. *J Laryngol Otol* 2001; 115: 35-38
64. Zalzal GH, Anon JB, Cotton RT. Epiglottoplasty for the treatment of laryngomalacia. *Ann Otol Rhinol Laryngol* 1987; 96: 72-76
65. Seid AB, Park SM, Kearns MJ, Gugenheim S. Laser division of the aryepiglottic folds for severe laryngomalacia. *Int J Pediatr Otorhinolaryngol* 1985; 10: 153-158
66. Holinger LD, Konior RJ. Surgical management of severe laryngomalacia. *Laryngoscope* 1989; 99: 136-142
67. Holinger LD. Diagnostic endoscopy of the pediatric airway. *Laryngoscope* 1989; 99: 346-348
68. Altman KW, Wetmore RF, Mahboubi S. Comparison of endoscopy and radiographic fluoroscopy in the evaluation of pediatric congenital airway abnormalities. *Int J Pediatr Otorhinolaryngol* 1998; 44: 43-46

69. Landau LI. Investigation and treatment of chronic stridor in infancy. *Monaldi Arch Chest Dis* 1999; 54: 18-21
70. Bhat N, De R, Zeiton H. Paediatric airway endoscopy. *Rev Laryngol Otol Rhinol (Bord)* 2000; 121: 31-35
71. De Beer D, Chambers N. Double trouble: prolapsing epiglottis and unexpected dual pathology in an infant. *Paediatr Anaesth* 2003; 13: 448-452
72. O'Sullivan BP, Finger L, Zwerdling RG. Use of nasopharyngoscopy in the evaluation of children with noisy breathing. *Chest* 2004; 125: 1265-1269
73. Steurer M, Passler C, Denk DM, Schneider B, Niederle B, Bigenzahn W. Advantages of recurrent laryngeal nerve identification in thyroidectomy and parathyroidectomy and the importance of preoperative and postoperative laryngoscopic examination in more than 1000 nerves at risk. *Laryngoscope* 2002; 112: 124-133
74. Jackson C. Ventriculocordectomy. A new operation for the cure of goitrous glottic stenosis. *Arch Surg* 1922; 4: 257-274
75. Pieniazek P. Verengungen der Luftwege. Leipzig und Wien: Franz Deuticke, 1901: 505
76. Thornell WC. Intralaryngeal approach for arytenoidectomy in bilateral abductor vocal cord paralysis. *Arch Otolaryngol* 1948; 47: 505-508
77. Demedts M, Melissant C, Buyse B, Verschakelen J, Feenstra L. Correlation between functional, radiological and anatomical abnormalities in upper airway obstruction (UAO) due to tracheal stenosis. *Acta Otorhinolaryngol Belg* 1995; 49: 331-339
78. Vössing M, Wassermann K, Eckel HE, Ebeling O. Peak flow measurement in patients with laryngeal and tracheal stenoses. A simple and valuable spirometric method. *HNO* 1995; 43: 70-75
79. Müller A. Modern diagnostics of tracheal stenosis. *Laryngol Rhinol Otol* 2004; 83: 381-386
80. Schuchardt P. Klinisch-experimentelle Studie zur Pathophysiologie von Stenosen des Larynx und der Trachea, in *HNO-Klinik / Phoniatrie*. 1984, Humboldt-Universität: Berlin. p. 197.
81. McHenry MA, Kuna ST, Minton JT, Vanoye CR. Comparison of direct and indirect calculations of laryngeal airway resistance in connected speech. *J Voice* 1996; 10: 236-244.
82. Berdel D, Koch U. Spontaneous flow measurements of laryngotracheal resistance in 30 tracheostoma patients. *Arch Otorhinolaryngol* 1984; 240: 133-137
83. Wassermann K, Koch A, Warschkow A, Mathen F, Muller-Ehmsen J, Eckel HE. Measuring in situ central airway resistance in patients with laryngotracheal stenosis. *Laryngoscope* 1999; 109: 1516-1520
84. Myer CM, 3rd, O'Connor DM, Cotton RT. Proposed grading system for subglottic stenosis based on endotracheal tube sizes. *Ann Otol Rhinol Laryngol* 1994; 103: 319-323
85. Margulies C, Krevsky B, Catalano MF. How accurate are endoscopic estimates of size? [see comments]. *Gastrointest Endosc* 1994; 40: 174-177
86. Müller A, Schubert M. Endoluminales 3D-Scanning der oberen Luftwege. *Laryngol Rhinol Otol* 1998; 77: 636-637
87. Müller A, Schubert M, Beleites E. A Noncontact Three-Dimensional laser Measuring Device for Tracheoscopy. *Ann Otol Rhinol Laryngol* 2002; 111
88. Müller A. ENDOSCAN : Entwicklung eines Verfahrens zur endoskopischen Vermessung von Trachealstenosen, in *HNO-Klinik*. 2003, Friedrich-Schiller-Universität Jena: Jena. p. 145.
89. Schultz-Coulon HJ. The management of postintubation stenoses in children. *HNO* 2004; 52: 363-377
90. Narcy P, Contencin P, Fligny I, Francois M. Surgical treatment for laryngotracheal stenosis in the pediatric patient. *Arch Otolaryngol Head Neck Surg* 1990; 116: 1047-1050
91. Benjamin B, Jacobson I, Eckstein R. Idiopathic subglottic stenosis: diagnosis and endoscopic laser treatment. *Ann Otol Rhinol Laryngol* 1997; 106: 770-774
92. Giudice M, Piazza C, Foccoli P, Toninelli C, Cavalieri S, Peretti G. Idiopathic subglottic stenosis: management by endoscopic and open-neck surgery in a series of 30 patients. *Eur Arch Otorhinolaryngol* 2003; 260: 235-238
93. Tcacencu I. Mifepristone (RU-486) impairs post-surgical wound healing of the larynx. *Med Sci Monit* 2002; 8: BR397-400
94. Othersen HB, Jr. Subglottic tracheal stenosis. *Semin Thorac Cardiovasc Surg* 1994; 6: 200-205
95. Walner DL, Cotton RT, Willging JP, Bove KE, Toriumi DM. Model for evaluating the effect of growth factors on the larynx. *Otolaryngol Head Neck Surg* 1999; 120: 78-83
96. Loewen MS, Walner DL, Caldarelli DD. Improved airway healing using transforming growth factor beta-3 in a rabbit model. *Wound Repair Regen* 2001; 9: 44-49
97. Correa AJ, Reinisch L, Sanders DL, Huang S, Deriso W, Duncavage JA, Garrett CG. Inhibition of subglottic stenosis with mitomycin-C in the canine model. *Ann Otol Rhinol Laryngol* 1999; 108: 1053-1060
98. Rahbar R, Valdez TA, Shapshay SM. Preliminary results of intraoperative mitomycin-C in the treatment and prevention of glottic and subglottic stenosis. *J Voice* 2000; 14: 282-286
99. Garrett CG, Soto J, Riddick J, Billante CR, Reinisch L. Effect of mitomycin-C on vocal fold healing in a canine model. *Ann Otol Rhinol Laryngol* 2001; 110: 25-30
100. Hartnick CJ, Hartley BE, Lacy PD, Liu J, Bean JA, Willging JP, Myer CM, 3rd, Cotton RT. Topical mitomycin application after laryngotracheal reconstruction: a randomized, double-blind, placebo-controlled trial. *Arch Otolaryngol Head Neck Surg* 2001; 127: 1260-1264

101. Spector JE, Werkhaven JA, Spector NC, Huang S, Sanders D, Reinisch L. Prevention of anterior glottic restenosis in a canine model with topical mitomycin-C. *Ann Otol Rhinol Laryngol* 2001; 110: 1007-1010
102. Baugnee PE, Marquette CH, Ramon P, Darras J, Wurtz A. Endoscopic treatment of post-intubation tracheal stenosis. Apropos of 58 cases. *Rev Mal Respir* 1995; 12: 585-592
103. Brichet A, Verkindre C, Ramon P, Marquette CH. Post-intubation tracheal stenosis. *Rev Mal Respir* 1999; 16: 685-692
104. van den Boogert J, Hans Hoeve LJ, Struijs A, Hagenouw RR, Bogers AJ. Single-stage surgical repair of benign laryngotracheal stenosis in adults. *Head Neck* 2004; 26: 111-117
105. Cavanaugh K, Park AH. Recurrent laryngeal nerve monitoring during cricoatracheal resection. *Ann Otol Rhinol Laryngol* 2000; 109: 654-657
106. Pearson FG, Gullane P. Subglottic resection with primary tracheal anastomosis: including synchronous laryngotracheal reconstructions. *Semin Thorac Cardiovasc Surg* 1996; 8: 381-391
107. Jewett BS, Cook RD, Johnson KL, Logan TC, Shockley WW. Effect of stenting after laryngotracheal reconstruction in a subglottic stenosis model. *Otolaryngol Head Neck Surg* 2000; 122: 488-494
108. Gallivan GJ. Bilateral vocal fold posterior glottic/subglottic stenotic web resected with contact tip Nd-YAG laser. *J Voice* 2002; 16: 415-421
109. Casiano RR, Lundy DS. Outpatient transoral laser vaporization of anterior glottic webs and keel placement: risks of airway compromise. *J Voice* 1998; 12: 536-539
110. Wang Z, Pankratov MM, Gleich LL, Rebeiz EE, Shapshay SM. New technique for laryngotracheal mucosa transplantation. 'Stamp' welding using indocyanine green dye and albumin interaction with diode laser. *Arch Otolaryngol Head Neck Surg* 1995; 121: 773-777
111. Hsiung MW, Wang HW. Endoscopic buccal mucosal grafting to the anterior glottic web: a case report. *Eur Arch Otorhinolaryngol* 2002; 259: 287-289
112. Wang Z, Pankratov MM, Rebeiz EE, Perrault DF, Jr., Shapshay SM. Endoscopic diode laser welding of mucosal grafts on the larynx: a new technique. *Laryngoscope* 1995; 105: 49-52
113. Klussmann JP, Knoedgen R, Wittekindt C, Damm M, Eckel HE. Complications of suspension laryngoscopy. *Ann Otol Rhinol Laryngol* 2002; 111: 972-976
114. Müller A, Verges L, Schleier P, Wohlfarth M, Gottschall R. The incidence of microlaryngoscopy associated complications. *HNO* 2002; 50: 1057-1061
115. Müller A, Verges L, Gottschall R. Prognostic value of a screening test for difficult microlaryngoscopy. *HNO* 2002; 50: 727-732
116. Wallner F, Knoch H. The potential uses and limitations of the flexible laryngoscopy under local anesthesia in clinical practice. *HNO* 1999; 47: 702-705
117. Schade G, Hess M. Endolaryngeal biopsies with local anesthesia. *HNO* 2002; 50: 940-942
118. Okada S, Yamauchi H, Sato S. Use of laryngeal mask in bronchoscopy or bronchoscopic treatment. *Kyobu Geka* 1998; 51: 996-1000
119. Jameson JJ, Moses RD, Vellayappan U, Lathi KG. Use of the laryngeal mask airway for laser treatment of the subglottis. *Otolaryngol Head Neck Surg* 2000; 123: 101-102
120. Yavascaoglu B, Tokat O, Basagan EM, Kaya FN, Erisen L, Kutlay O. The use of the laryngeal mask airway in children with subglottic stenosis. *J Int Med Res* 2001; 29: 541-545
121. Gottschall R. The Laryngeal Mask - its Importance in Anaesthesia. *Anästhesiol Intensivmed Notfallmed Schmerzther* 2004; 39: 497-501
122. Kanagalingam J, Hurley R, Grant HR, Patel A. A new technique for the management of inaccessible anterior glottic lesions. *J Laryngol Otol* 2003; 117: 302-306
123. Kashima HK. Bilateral vocal fold motion impairment: pathophysiology and management by transverse cordotomy. *Ann Otol Rhinol Laryngol* 1991; 100: 717-721
124. Benjamin B. Vocal cord paralysis, synkinesis and vocal fold motion impairment. *ANZ J Surg* 2003; 73: 784-786
125. Eskew JR, Bailey BJ. Laser arytenoidectomy for bilateral vocal cord paraly-
- sis. *Otolaryngol Head Neck Surg* 1983; 91: 294-298
126. Ossoff RH, Karlan MS, Sisson GA. Endoscopic laser arytenoidectomy. *Lasers Surg Med* 1983; 2: 293-299
127. Lim RY. Laser arytenoidectomy. *Arch Otolaryngol* 1985; 111: 262-263
128. Prasad U. CO₂ surgical laser in the management of bilateral vocal cord paralysis. *J Laryngol Otol* 1985; 99: 891-894
129. Remsen K, Lawson W, Patel N, Biller HF. Laser lateralization for bilateral vocal cord abductor paralysis. *Otolaryngol Head Neck Surg* 1985; 93: 645-649
130. Dennis DP, Kashima H. Carbon dioxide laser posterior cordectomy for treatment of bilateral vocal cord paralysis. *Ann Otol Rhinol Laryngol* 1989; 98: 930-934
131. Ossoff RH, Duncavage JA, Shapshay SM, Krespi YP, Sisson GA, Sr. Endoscopic laser arytenoidectomy revisited. *Ann Otol Rhinol Laryngol* 1990; 99: 764-771
132. Eckel HE. Laser surgical microlaryngoscopic glottis dilatation in the treatment of recurrent bilateral nerve paralysis. Surgical technique and results. *Laryngol Rhinol Otol* 1991; 70: 17-20
133. Holm AF, Wouters B, Van Overbeek JJM. CO₂ Laser cordectomy for bilateral vocal cord paralysis. *Las. Med. Sci.* 1989; 4: 93-96
134. Rontal M, Rontal E. Endoscopic laryngeal surgery for bilateral midline vocal

- cord obstruction. Ann Otol Rhinol Laryngol 1990; 99: 605-610
135. Bower CM, Choi SS, Cotton RT. Arytenoidectomy in children. Ann Otol Rhinol Laryngol 1994; 103: 271-278
136. Crumley RL. Endoscopic laser medical arytenoidectomy for airway management in bilateral laryngeal paralysis. Ann Otol Rhinol Laryngol 1993; 102: 81-84
137. Merite Drancy A, Laccourreye O, Brasnu D, Laccourreye H. Partial posterior cordectomy with laser CO₂ in bilateral recurrent paralysis. Ann Otolaryngol Chir Cervicofac 1992; 109: 235-239
138. Linder A, Lindholm CE. Vocal fold lateralization using carbon dioxide laser and fibrin glue. J Laryngol Otol 1992; 106: 226-230
139. Eckel HE, Thumfart M, Wassermann K, Vossing M, Thumfart WF. Cordectomy versus arytenoidectomy in the management of bilateral vocal cord paralysis. Ann Otol Rhinol Laryngol 1994; 103: 852-857
140. Herberhold C, Huck P. Posterior cordotomy by CO₂ laser surgery for bilateral vocal cord paralysis: Kashima's technique and modified technique. Adv Otorhinolaryngol 1995; 49: 174-175
141. Nawka T. Endoscopic management of bilateral recurrent nerve paralysis with the CO₂ laser. Adv Otorhinolaryngol 1995; 49: 170-173
142. Bigenzahn W, Hoefler H. Minimally invasive laser surgery for the treatment of bilateral vocal cord paralysis. Laryngoscope 1996; 106: 791-793
143. Eckel HE, Vossing M. Endolaryngeal surgical procedures in glottis expansion in bilateral recurrent nerve paralysis. Laryngol Rhinol Otol 1996; 75: 215-222
144. Remacle M, Lawson G, Mayne A, Jamart J. Subtotal carbon dioxide laser arytenoidectomy by endoscopic approach for treatment of bilateral cord immobility in adduction. Ann Otol Rhinol Laryngol 1996; 105: 438-445
145. Reker U, Rudert H. Modified posterior Dennis and Kashima cordectomy in treatment of bilateral recurrent nerve paralysis. Laryngol Rhinol Otol 1998; 77: 213-218
146. Laccourreye O, Paz Escobar MI, Gerhardt J, Hans S, Biacabe B, Brasnu D. CO₂ laser endoscopic posterior partial transverse cordotomy for bilateral paralysis of the vocal fold. Laryngoscope 1999; 109: 415-418
147. Maurizi M, Paludetti G, Galli J, Cosenza A, Di Girolamo S, Ottaviani F. CO₂ laser subtotal arytenoidectomy and posterior true and false cordotomy in the treatment of post-thyroidectomy bilateral laryngeal fixation in adduction. Eur Arch Otorhinolaryngol 1999; 256: 291-295
148. Pia F, Pisani P, Aluffi P. CO(2) laser posterior ventriculocordectomy for the treatment of bilateral vocal cord paralysis. Eur Arch Otorhinolaryngol 1999; 256: 403-406
149. Misiolek M, Namyslowski G, Warmuzinski K, Karpe J, Rauer R, Misiolek H. The influence of laser arytenoidectomy on ventilation parameters in patients with bilateral vocal cord paralysis. Eur Arch Otorhinolaryngol 2003; 260: 381-385
150. Motta S, Moscillo L, Imperiali M, Motta G. CO₂ laser treatment of bilateral vocal cord paralysis in adduction. ORL J Otorhinolaryngol Relat Spec 2003; 65: 359-365
151. Bizakis JG, Papadakis CE, Karatzanis AD, Skoulakis CE, Kyrmizakis DE, Hajjioannou JK, Helidonis ES. The combined endoscopic CO(2) laser posterior cordectomy and total arytenoidectomy for treatment of bilateral vocal cord paralysis. Clin Otolaryngol 2004; 29: 51-54
152. Albrecht R. Value of colposcopic method of examination in leucoplakia and carcinoma of the mouth and the larynx. Arch Ohren Nasen Kehlkopfheilkd 1954; 165: 459-463
153. Kleinsasser O. Endolaryngeal microsurgery. J Otolaryngol Soc Aust 1968; 2: 3-7
154. Kleinsasser O. Microlaryngoscopy and endolaryngeal microsurgery. Philadelphia: Saunders, 1968
155. Reidenbach MM. Anatomical bases of glottic widening surgery related to arytenoidectomy. Clin Anat 1999; 12: 94-102
156. Rontal M, Rontal E. Use of laryngeal muscular tenotomy for bilateral midline vocal cord fixation. Ann Otol Rhinol Laryngol 1994; 103: 583-589
157. Eckel HE, Sittel C. Bilateral recurrent laryngeal nerve paralysis. HNO 2001; 49: 166-179
158. Saetti R, Silvestrini M, Galiotto M, Derosas F, Narne S. Contact laser surgery in treatment of vocal fold paralysis. Acta Otorhinolaryngol Ital 2003; 23: 33-37
159. el Chazly M, Rifai M, el Ezz AA. Arytenoidectomy and posterior cordectomy for bilateral abductor paralysis. J Laryngol Otol 1991; 105: 454-455
160. Hoover WB. Bilateral abductor paralysis: Operative treatment of submucous resection of the vocal cords. Arch Otolaryngol 1932; 15: 339-355
161. Kleinsasser O. Endolaryngeal arytenoidectomy and submucous hemichordectomy for the widening of the glottis in bilateral abductor paralysis. Monatsschr Ohrenheilkd Laryngorhinol 1968; 102: 443-446
162. Kleinsasser O, Nolte E. Report on the indication, technique and functional results of endolaryngeal arytenoidectomy and submucous partial chordectomy in bilateral paralysis of vocal cord. Laryngol Rhinol Otol (Stuttg) 1981; 60: 397-401
163. Jiang JJ, Titze IR. A methodological study of hemilaryngeal phonation. Laryngoscope 1993; 103: 872-882
164. Xu W, Han D, Hou L, Zhang L, Yu Z, Huang Z, Ye J, Wang J. Study on voice quality after different layers injured in vocal fold with CO₂ laser microsurgery. Lin Chuang Er Bi Yan Hou Ke Za Zhi 2002; 16: 267-269
165. Peretti G, Piazza C, Balzanelli C, Cantarella G, Nicolai P. Vocal outcome after endoscopic cordectomies for Tis

- and T1 glottic carcinomas. *Ann Otol Rhinol Laryngol* 2003; 112: 174-179
166. Lopez Llames A, Nunez Batalla F, Llorente Pendas JL, Puente Verez M, Aldama Barahona P, Suarez Nieto C. Laser cordectomy: oncologic outcome and functional results. *Acta Otorrinolaringol Esp* 2004; 55: 34-40
167. Kirchner FR. Endoscopic lateralization of the vocal cord in abductor paralysis of the larynx. *Laryngoscope* 1979; 89: 1779-1783
168. Lichtenberger G. Endo-extralaryngeal needle carrier instrument. *Laryngoscope* 1983; 93: 1348-1350
169. Lichtenberger G, Toohill RJ. The endo-extralaryngeal needle carrier. *Otolaryngol Head Neck Surg* 1991; 105: 755-756
170. Lichtenberger G, Toohill RJ. Technique of endo-extralaryngeal suture lateralization for bilateral abductor vocal cord paralysis. *Laryngoscope* 1997; 107: 1281-1283
171. Lichtenberger G. Reversible immediate and definitive lateralization of paralyzed vocal cords. *Eur Arch Otorhinolaryngol* 1999; 256: 407-411
172. Rovo L, Jori J, Brzozka M, Czigner J. Airway complication after thyroid surgery: minimally invasive management of bilateral recurrent nerve injury. *Laryngoscope* 2000; 110: 140-144
173. Lichtenberger G. Reversible lateralization of the paralyzed vocal cord without tracheostomy. *Ann Otol Rhinol Laryngol* 2002; 111: 21-26
174. Lichtenberger G. Prevention and management of bilateral vocal cord paralysis by and after thyroid surgery. *Otolaryngol Pol* 2004; 58: 165-171
175. Mathur NN, Kumar S, Bothra R. Simple method of vocal cord lateralization in bilateral abductor cord paralysis in paediatric patients. *Int J Pediatr Otorhinolaryngol* 2004; 68: 15-20
176. Jamski J, Jamska A, Graca M, Barczynski M, Wlodyka J. Recurrent laryngeal nerve injury following thyroid surgery. *Przegl Lek* 2004; 61: 13-16
177. Schneider W, Wolf SR, Krause JW. Electromyography study and follow-up of bilateral recurrent laryngeal nerve paralysis after thyroid gland operations. *HNO* 1997; 45: 551-555
178. Munin MC, Rosen CA, Zullo T. Utility of laryngeal electromyography in predicting recovery after vocal fold paralysis. *Arch Phys Med Rehabil* 2003; 84: 1150-1153
179. Thumfart WF. Electromyography of the larynx and related techniques. *Acta Otorhinolaryngol Belg* 1986; 40: 358-376
180. Blitzer A, Jahn AF, Keidar A. Semon's law revisited: an electromyographic analysis of laryngeal synkinesis. *Ann Otol Rhinol Laryngol* 1996; 105: 764-769
181. Hillel AD, Benninger M, Blitzer A, Crumley R, Flint P, Kashima HK, Sanders I, Schaefer S. Evaluation and management of bilateral vocal cord immobility. *Otolaryngol Head Neck Surg* 1999; 121: 760-765
182. Sulica L, Blitzer A. Electromyography and the immobile vocal fold. *Otolaryngol Clin North Am* 2004; 37: 59-74
183. Steiner W. Results of curative laser microsurgery of laryngeal carcinomas. *Am J Otolaryngol* 1993; 14: 116-121
184. Moreau PR. Treatment of laryngeal carcinomas by laser endoscopic microsurgery. *Laryngoscope* 2000; 110: 1000-1006
185. Steiner W, Vogt P, Ambrosch P, Kron M. Transoral carbon dioxide laser microsurgery for recurrent glottic carcinoma after radiotherapy. *Head Neck* 2004; 26: 477-484
186. Dietz A, Nollert J, Eckel H, Volling P, Schroder M, Staar S, Conradt C, Helmke B, Dollner R, Muller RP, Wannenmacher M, Weidauer H, Rudat V. Organ preservation in advanced laryngeal and hypopharyngeal carcinoma by primary radiochemotherapy. Results of a multi-center phase II study. *HNO* 2002; 50: 146-154
187. Marmiroli L, Ausili-Cefaro G, Nardone L, Fiorentino G, Genovesi D, Salvi G. Combined radiochemotherapy for organ preservation in head and neck cancer: review of literature and personal experience. *Rays* 1997; 22: 425-440
188. Sannazzari GL, Gabriele P, Redda MG, Verna R. Combined modality therapy for laryngeal and hypopharyngeal cancer. *Rays* 1997; 22: 360-371
189. Delaere PR. Laryngotracheal reconstruction. From lab to clinic. Berlin Heidelberg New York: Springer, 2004: 304
190. Evans JN, Todd GB. Laryngo-tracheoplasty. *J Laryngol Otol* 1974; 88: 589-597
191. MacRae D, Barrie P. „Swiss roll“ laryngotracheoplasty in young children. *J Otolaryngol* 1986; 15: 116-118
192. Schultz-Coulon HJ, Laubert A. [Laryngotracheoplasty in early childhood]. *Hno* 1988; 36: 1-12
193. Rethi A. Chirurgie der Verengungen der oberen Luftwege. Stuttgart: Georg Thieme, 1959: 55-61
194. Cotton R. Management of subglottic stenosis in infancy and childhood. Review of a consecutive series of cases managed by surgical reconstruction. *Ann Otol Rhinol Laryngol* 1978; 87: 649-657
195. Drake AF, Contencin P, Narcy F, Cotton RT. Lateral cricoid cuts as an adjunctive measure to enlarge the stenotic subglottic airway: an anatomic study. *Int J Pediatr Otorhinolaryngol* 1989; 18: 129-137
196. Cotton RT, Mortelliti AJ, Myer CM, 3rd. Four-quadrant cricoid cartilage division in laryngotracheal reconstruction. *Arch Otolaryngol Head Neck Surg* 1992; 118: 1023-1027
197. Varvares MA, Montgomery WW. Repair of chronic subglottic stenosis with autogenous thyroid cartilage. *Ann Otol Rhinol Laryngol* 2004; 113: 212-217
198. Cansiz H, Yener HM, Sekercioğlu N, Gunes M. Laryngotracheal reconstruction with a muscle-pedicle hyoid bone flap: a series of 23 patients. *Ear Nose Throat J* 2004; 83: 424-427

199. Delaere PR, Liu Z, Pauwels P, Feenstra L. Experimental revascularization of airway segments. *Laryngoscope* 1994; 104: 736-740
200. Delaere PR, Liu Z, Feenstra L. Tracheal autograft revascularization and transplantation. *Arch Otolaryngol Head Neck Surg* 1994; 120: 1130-1136
201. Delaere PR, Poorten VV, Goeleven A, Feron M, Hermans R. Tracheal auto-transplantation: a reliable reconstructive technique for extended hemilaryngectomy defects. *Laryngoscope* 1998; 108: 929-934
202. Delaere PR, Vander Poorten V, Hermans R. Autotransplantation of the trachea: experimental evaluation of a reconstructive technique for extended hemilaryngectomy defects. *Ann Otol Rhinol Laryngol* 1999; 108: 143-146
203. Delaere P. From concept to clinical reality: implementing tracheal autotransplantation in conservation laryngectomy. *Acta Otorhinolaryngol Belg* 1999; 53: 181-188
204. Hardillo JA, Vander Poorten V, Delaere PR. Transplantation of tracheal autografts: is a two-stage procedure necessary? *Acta Otorhinolaryngol Belg* 2000; 54: 13-21
205. Delaere PR, Hermans R. Tracheal auto-transplantation as a new and reliable technique for the functional treatment of advanced laryngeal cancer. *Laryngoscope* 2003; 113: 1244-1251
206. Delaere PR, Verriest R, Hermans R. Functional treatment of a large laryngeal chondrosarcoma by tracheal au-
- totransplantation. *Ann Otol Rhinol Laryngol* 2003; 112: 678-682
207. Lin P, Yang B. [Reconstruction with pyriform sinus mucosa in partial laryngectomy]. *Lin Chuang Er Bi Yan Hou Ke Za Zhi* 2002; 16: 665-666
208. Glatz F, Neumeister M, Suchy H, Lyons S, Damikas D, Mowlavi A. A tissue-engineering technique for vascularized laryngotracheal reconstruction. *Arch Otolaryngol Head Neck Surg* 2003; 129: 201-206
209. Rees LE, Ayoub O, Haverson K, Birchall MA, Bailey M. Differential major histocompatibility complex class II locus expression on human laryngeal epithelium. *Clin Exp Immunol* 2003; 134: 497-502
210. Wambach BA, Cheung H, Josephson GD. Cartilage tissue engineering using thyroid chondrocytes on a type I collagen matrix. *Laryngoscope* 2000; 110: 2008-2011
211. Huber JE, Spievack A, Simmons-Byrd A, Ringel RL, Badylak S. Extracellular matrix as a scaffold for laryngeal reconstruction. *Ann Otol Rhinol Laryngol* 2003; 112: 428-433
212. Bucheler M, Haisch A. Tissue engineering in otorhinolaryngology. *DNA Cell Biol* 2003; 22: 549-564
213. Omori K, Nakamura T, Kanemaru S, Kojima H, Magrufov A, Hiratsuka Y, Shimizu Y. Cricoid regeneration using in situ tissue engineering in canine larynx for the treatment of subglottic stenosis. *Ann Otol Rhinol Laryngol* 2004; 113: 623-627
214. Kamil SH, Eavey RD, Vacanti MP, Vacanti CA, Hartnick CJ. Tissue-engineered cartilage as a graft source for laryngotracheal reconstruction: a pig model. *Arch Otolaryngol Head Neck Surg* 2004; 130: 1048-1051
215. Ferguson RM, Henry ML, Elkhammas EA, Davies EA, Bumgardner GL, Peltier RP, Rajab A. Twenty years of renal transplantation at Ohio State University: the results of five eras of immunosuppression. *Am J Surg* 2003; 186: 306-311
216. Hettiaratchy S, Butler PE. Extending the boundaries of transplantation. *Bmj* 2003; 326: 1226-1227
217. Takenouchi S, Ogura JH, Kawasaki M, Yagi M. Autogenous transplantation of the canine larynx. *Laryngoscope* 1967; 77: 1644-1667
218. Mounier-Kuhn P, Haguenauer JP, Inuyama Y, Descotes J. [Feasibility of autologous graft of the larynx in dogs]. *Ann Otolaryngol Chir Cervicofac* 1968; 85: 637-654
219. Mounier-Kuhn P, Haguenauer JP. [Autotransplantation of the larynx in the dog]. *Arch Ital Otol Rinol Laringol Patol Cervicofacc* 1970; 81: 341-352
220. Silver CE, Rosen RG. Function of transplanted and denervated larynges. II. Arytenoidectomy with sensory reinnervation. *Arch Otolaryngol* 1974; 99: 100-101
221. Kluyskens P, Ringoir S. Follow-up of a human larynx transplantation. *Laryngoscope* 1970; 80: 1244-1250
222. Strome M, Strome S. Laryngeal transplantation. The future. *Otolaryngol Clin North Am* 1991; 24: 1385-1389
223. Strome S, Strome M. Laryngeal transplantation: ethical considerations. *Am J Otolaryngol* 1992; 13: 75-77
224. Strome M, Strome S, Darrell J, Wu J, Brodsky G. The effects of cyclosporin A on transplanted rat allografts. *Laryngoscope* 1993; 103: 394-398
225. Strome M, Strome S. Laryngeal transplantation: a program for investigating new parameters. *J Voice* 1994; 8: 92-94
226. Strome M, Wu J, Strome S, Brodsky G. A comparison of preservation techniques in a vascularized rat laryngeal transplant model. *Laryngoscope* 1994; 104: 666-668
227. Strome M. Human laryngeal transplantation: considerations and implications. *Microsurgery* 2000; 20: 372-374
228. Strome M, Stein J, Esclamado R, Hicks D, Lorenz RR, Braun W, Yetman R, Eliachar I, Mayes J. Laryngeal transplantation and 40-month follow-up. *N Engl J Med* 2001; 344: 1676-1679
229. Lorenz RR, Dan O, Fritz MA, Nelson M, Strome M. Rat laryngeal transplant model: technical advancements and a redefined rejection grading system. *Ann Otol Rhinol Laryngol* 2002; 111: 1120-1127
230. Nelson M, Fritz M, Dan O, Worley S, Strome M. Tacrolimus and mycophenolate mofetil provide effective immunosuppression in rat laryngeal trans-

- plantation. *Laryngoscope* 2003; 113: 1308-1313
231. Akst LM, Siemionow M, Dan O, Izycki D, Strome M. Induction of tolerance in a rat model of laryngeal transplantation. *Transplantation* 2003; 76: 1763-1770
232. Birchall MA. Laryngeal transplantation. *Br J Surg* 1997; 84: 739-740
233. Birchall M. Human laryngeal allograft: shift of emphasis in transplantation. *Lancet* 1998; 351: 539-540
234. Stavroulaki P, Birchall M. Comparative study of the laryngeal innervation in humans and animals employed in laryngeal transplantation research. *J Laryngol Otol* 2001; 115: 257-266
235. Birchall MA, Bailey M, Barker EV, Rothkotter HJ, Otto K, Macchiarini P. Model for experimental revascularized laryngeal allotransplantation. *Br J Surg* 2002; 89: 1470-1475
236. Birchall M, Idowu B, Murison P, Jones A, Burt R, Ayling S, Stokes C, Pope L, Terenghi G. Laryngeal abductor muscle reinnervation in a pig model. *Acta Otolaryngol* 2004; 124: 839-846
237. Tucker HM. Laryngeal transplantation: current status 1974. *Laryngoscope* 1975; 85: 787-796
238. Namyslowski G, Religa Z, Steszewska U, Misiolek M, Czecior E. [A case of laryngeal carcinoma as a result of immunosuppressive therapy with cyclosporin A following heart transplantation]. *Otolaryngol Pol* 1994; 48: 72-74
239. Berenguer M, Prieto M, Bustamante M, Carrasco D, Lopez-Andujar R, Mir J, Berenguer J. [Incidence of de novo neoplasms after liver transplantation]. *Med Clin (Barc)* 1998; 111: 481-484
240. Garlicki M, Wierzbicki K, Przybylowski P, Drop D, Biernat M, Rudzinski P, Oliszewska B, Dziatkowiak A. The incidence of malignancy in heart transplant recipients. *Ann Transplant* 1998; 3: 41-47
241. Pham SM, Kormos RL, Landreneau RJ, Kawai A, Gonzalez-Cancel I, Hardisty RL, Hattler BG, Griffith BP. Solid tumors after heart transplantation: lethality of lung cancer. *Ann Thorac Surg* 1995; 60: 1623-1626
242. Berke GS, Ye M, Block RM, Sloan S, Sercarz J. Orthotopic laryngeal transplantation: is it time? *Laryngoscope* 1993; 103: 857-864
243. Genden EM, Urken ML. Laryngeal and tracheal transplantation: ethical limitations. *Mt Sinai J Med* 2003; 70: 163-165
244. Schwartz M. Liver transplantation in patients with hepatocellular carcinoma. *Liver Transpl* 2004; 10: S81-85
245. Paniello RC. Laryngeal reinnervation. *Otolaryngologic Clinics of North America* 2004; 37: 161-181
246. Horsley J. Suture of the recurrent laryngeal nerve with report of a case. *Trans South Surg Gynecol Assoc* 1909; 22: 161
247. Gacek RR, Malmgren LT, Lyon MJ. Localization of adductor and abductor motor nerve fibers to the larynx. *Ann Otol Rhinol Laryngol* 1977; 86: 771-776
248. Malmgren LT, Gacek RR. Acetylcholinesterase staining of fiber components in feline and human recurrent laryngeal nerve. Topography of laryngeal motor fiber regions. *Acta Otolaryngol* 1981; 91: 337-352
249. Siribodhi C, Sundmaker W, Atkins J, Bonner F. Electromyographic studies of laryngeal paralysis and regeneration of laryngeal motor nerves in dogs. *Laryngoscope* 1963; 73: 148-164
250. Chou FF, Su CY, Jeng SF, Hsu KL, Lu KY. Neurorrhaphy of the recurrent laryngeal nerve. *J Am Coll Surg* 2003; 197: 52-57
251. Pototschnig C. Retrospektive multizentrische Analyse des Kehlkopf-EMG auf Synkinesie bei Patienten mit Rekurrensparese. 2003: Innsbruck.
252. Zealear DL, Billante CR. Neurophysiology of vocal fold paralysis. *Otolaryngol Clin North Am* 2004; 37: 1-23, v
253. Crumley RL. Laryngeal synkinesis revisited. *Ann Otol Rhinol Laryngol* 2000; 109: 365-371
254. Streppel M, Azzolin N, Dohm S, Guntinas-Lichius O, Haas C, Grothe C, Wevers A, Neiss WF, Angelov DN. Focal application of neutralizing antibodies to soluble neurotrophic factors reduces collateral axonal branching after peripheral nerve lesion. *Eur J Neurosci* 2002; 15: 1327-1342
255. Guntinas-Lichius O, We wetzer K, Tomov TL, Azzolin N, Kazemi S, Streppel M, Neiss WF, Angelov DN. Transplantation of olfactory mucosa minimizes axonal branching and promotes the recovery of vibrissae motor performance after facial nerve repair in rats. *J Neurosci* 2002; 22: 7121-7131
256. Guntinas-Lichius O, Angelov DN, Tomov TL, Dramiga J, Neiss WF, We wetzer K. Transplantation of olfactory ensheathing cells stimulates the collateral sprouting from axotomized adult rat facial motoneurons. *Exp Neurol* 2001; 172: 70-80
257. Nakamura T, Inada Y, Fukuda S, Yoshitani M, Nakada A, Itoi S, Kanemaru S, Endo K, Shimizu Y. Experimental study on the regeneration of peripheral nerve gaps through a polyglycolic acid-collagen (PGA-collagen) tube. *Brain Res* 2004; 1027: 18-29
258. Kanemaru S, Nakamura T, Omori K, Kojima H, Magrufov A, Hiratsuka Y, Ito J, Shimizu Y. Recurrent laryngeal nerve regeneration by tissue engineering. *Ann Otol Rhinol Laryngol* 2003; 112: 492-498
259. Crumley RL. Update: ansa cervicalis to recurrent laryngeal nerve anastomosis for unilateral laryngeal paralysis. *Laryngoscope* 1991; 101: 384-387; discussion 388
260. Paniello RC, Lee P, Dahm JD. Hypoglossal nerve transfer for laryngeal reinnervation: a preliminary study. *Ann Otol Rhinol Laryngol* 1999; 108: 239-244
261. Paniello RC. Laryngeal reinnervation with the hypoglossal nerve: II. Clinical evaluation and early patient experience. *Laryngoscope* 2000; 110: 739-748

262. Paniello RC, West SE, Lee P. Laryngeal reinnervation with the hypoglossal nerve. I. Physiology, histochemistry, electromyography, and retrograde labeling in a canine model. *Ann Otol Rhinol Laryngol* 2001; 110: 532-542
263. Maronian N, Waugh P, Robinson L, Hillel A. Electromyographic findings in recurrent laryngeal nerve reinnervation. *Ann Otol Rhinol Laryngol* 2003; 112: 314-323
264. Doyle PJ, Chepeha DB, Westerberg BD, Schwarz DW. Phrenic nerve reinnervation of the cat's larynx: a new technique with proven success. *Ann Otol Rhinol Laryngol* 1993; 102: 837-842
265. Mahieu HF, van Lith-Bijl JT, Groenhout C, Tonnaer JA, de Wilde P. Selective laryngeal abductor reinnervation in cats using a phrenic nerve transfer and ORG 2766. *Arch Otolaryngol Head Neck Surg* 1993; 119: 772-776
266. van Lith-Bijl JT, Stolk RJ, Tonnaer JA, Groenhout C, Konings PN, Mahieu HF. Selective laryngeal reinnervation with separate phrenic and ansa cervicalis nerve transfers. *Arch Otolaryngol Head Neck Surg* 1997; 123: 406-411
267. van Lith-Bijl JT, Stolk RJ, Tonnaer JA, Groenhout C, Konings PN, Mahieu HF. Laryngeal abductor reinnervation with a phrenic nerve transfer after a 9-month delay. *Arch Otolaryngol Head Neck Surg* 1998; 124: 393-398
268. Rice DH. Laryngeal reinnervation. *Laryngoscope* 1982; 92: 1049-1059
269. Tucker HM. Human laryngeal reinnervation. *Laryngoscope* 1976; 86: 769-779
270. El-Kashlan HK, Carroll WR, Hogikyan ND, Chepeha DB, Kileny PR, Esclamado RM. Selective cricothyroid muscle reinnervation by muscle-nerve-muscle neurotization. *Arch Otolaryngol Head Neck Surg* 2001; 127: 1211-1215
271. Hogikyan ND, Johns MM, Kileny PR, Urbanchek M, Carroll WR, Kuzon WM, Jr. Motion-specific laryngeal reinnervation using muscle-nerve-muscle neurotization. *Ann Otol Rhinol Laryngol* 2001; 110: 801-810
272. Shiotani A, O'Malley BW, Jr., Coleman ME, Alila HW, Flint PW. Reinnervation of motor endplates and increased muscle fiber size after human insulin-like growth factor I gene transfer into the paralyzed larynx. *Hum Gene Ther* 1998; 9: 2039-2047
273. Flint PW, Shiotani A, O'Malley BW, Jr. IGF-1 gene transfer into denervated rat laryngeal muscle. *Arch Otolaryngol Head Neck Surg* 1999; 125: 274-279
274. Shiotani A, O'Malley BW, Jr., Coleman ME, Flint PW. Human insulinlike growth factor 1 gene transfer into paralyzed rat larynx: single vs multiple injection. *Arch Otolaryngol Head Neck Surg* 1999; 125: 555-560
275. Flint PW, Nakagawa H, Shiotani A, Coleman ME, O'Malley BW, Jr. Effects of insulin-like growth factor-1 gene transfer on myosin heavy chains in denervated rat laryngeal muscle. *Laryngoscope* 2004; 114: 368-371
276. Nakagawa H, Shiotani A, O'Malley BW, Jr., Coleman ME, Flint PW. Timing of human insulin-like growth factor-1 gene transfer in reinnervating laryngeal muscle. *Laryngoscope* 2004; 114: 726-732
277. Zealear DL, Billante CL, Chongkolwana C, Herzon GD. The effects of chronic electrical stimulation on laryngeal muscle reinnervation. *ORL J Otorhinolaryngol Relat Spec* 2000; 62: 87-95
278. Zealear DL, Rodriguez RJ, Kenny T, Billante MJ, Cho Y, Billante CR, Garren KC. Electrical stimulation of a denervated muscle promotes selective reinnervation by native over foreign motoneurons. *J Neurophysiol* 2002; 87: 2195-2199
279. Zoll PM, Frank HA, Linenthal AJ. Four-Year Experience with an Implanted Cardiac Pacemaker. *Ann Surg* 1964; 160: 351-365
280. Zealear DL, Dedo HH. Control of paralyzed axial muscles by electrical stimulation. *Trans Sect Otolaryngol Am Acad Ophthal Otolaryngol* 1977; 84: 310
281. Bergmann K, Warzel H, Eckhardt HU, Gerhardt HJ. [Respiration rhythm-controlled electric stimulation of paralyzed laryngeal muscles--animal experiment findings]. *Z Exp Chir Transplant Kunstliche Organe* 1983; 16: 344-351
282. Bergmann K, Warzel H, Eckhardt HU, Gerhardt HJ. Respiratory rhythmically regulated electrical stimulation of paralyzed laryngeal muscles. *Laryngoscope* 1984; 94: 1376-1380
283. Bergmann K, Warzel H, Eckhardt HU, Hopstock U, Peters W, Gerhardt HJ. Die atemrhythmusgesteuerte Elektrostimulation der gelähmten Kehlkopfmuskulatur - tierexperimentelle Grundlagen. *Wissenschaftliche Zeitschrift der Humboldt-Universität zu Berlin* 1984; XXXIII: 263-265
284. Bergmann K. Elektromyographische Diagnostik bei Bewegungsstörungen der Kehlkopfmuskulatur. *Wissenschaftliche Zeitschrift der Humboldt-Universität zu Berlin* 1984; XXXIII: 175-177
285. Bergmann K. Tierexperimentelle Untersuchungen zur atemrhythmusgesteuerten Elektrostimulation der gelähmten Kehlkopfmuskulatur. 1984;
286. Bergmann K. [Indication and Limits of the Significance of EMG Recording from Larynx Muscles]. *HNO-Praxis* 1986; 11: 83-88
287. Bergmann K. [Functional Disorders of the Superior Laryngeal Nerve in Patients Suffering from Laryngeal Nerve Palsies]. *HNO-Praxis* 1986; 11: 153-159
288. Bergmann K, Warzel H, Eckhardt H-U, Hopstock U, Gerhardt H-J. [Chronic Implantation of a System for Electrical Stimulation of Paralyzed Laryngeal Muscles in Dogs]. *HNO-Praxis* 1986; 11: 231-239
289. Bergmann K, Herrmann V. [Histochemical Characteristics of the Normal and Paretic Dog Laryngeal Muscle]. *HNO-Praxis*, VEB Georg Thieme, Leipzig 1987; 12: 259-266

290. Bergmann K, Warzel H, Eckhardt HU, Hopstock U, Hermann V, Gerhardt HJ. Long-term implantation of a system of electrical stimulation of paralyzed laryngeal muscles in dogs. *Laryngoscope* 1988; 98: 455-459
291. Otto RA, Davis W, Betten JR, Downen P, Otto PM. Electrophysiologic pacing of vocal cord abductors in bilateral recurrent laryngeal nerve paralysis. *Am J Surg* 1985; 150: 447-451
292. Otto RA, Templer J, Davis W, Homeyer D, Stroble M. Coordinated electrical pacing of vocal cord abductors in recurrent laryngeal nerve paralysis. *Otolaryngol Head Neck Surg* 1985; 93: 634-638
293. Kim KM, Choi HS, Kim GR, Hong WP, Chun YM, Park YJ. Laryngeal pacemaker using a temperature sensor in the canine. *Laryngoscope* 1987; 97: 1207-1210
294. Zealear DL, Herzon GD. Progress toward the development of a chronically implantable laryngeal pacemaker. In: Fujimura O (Hrsg). *Vocal physiology: voice production, mechanisms and functions*. New York: Raven Press, 1988
295. Sanders I. Electrical stimulation of laryngeal muscle. *Otolaryngol Clin North Am* 1991; 24: 1253-1274
296. Zrunek M, Carraro U, Catani C, Scabolcs M, Gruber H, Streinzer W, Mayr W, Thoma H. [Functional electrostimulation of the denervated posticus muscle in an animal experiment: histo- and biochemical results]. *Laryngol Rhinol Otol (Stuttg)* 1986; 65: 621-627
297. Zrunek M, Mayr W, Streinzer W, Thoma H, Losert U, Schneider B, Unger E. Laryngeal pacemaker: activity of the posterior cricoarytenoid muscle (PCM) and the diaphragm during respiration in sheep. *Acta Otolaryngol* 1989; 108: 311-316
298. Zrunek M, Mayr W, Bigenzahn W, Unger E, Thoma H. [Respiration-synchronous bilateral direct electric posticus stimulation in animal experiments]. *Biomed Tech (Berl)* 1990; 35 Suppl 2: 145-147
299. Zrunek M, Bigenzahn W, Mayr W, Unger E, Feldner-Busztin H. A laryngeal pacemaker for inspiration-controlled, direct electrical stimulation of the denervated posterior cricoarytenoid muscle in sheep. *Eur Arch Otorhinolaryngol* 1991; 248: 445-448
300. Zealear DL, Hamdan AL, Rainey CL. Effects of denervation on posterior cricoarytenoid muscle physiology and histochemistry. *Ann Otol Rhinol Laryngol* 1994; 103: 780-788
301. Zealear DL, Rainey CL, Herzon GD, Netterville JL, Ossoff RH. Electrical pacing of the paralyzed human larynx. *Ann Otol Rhinol Laryngol* 1996; 105: 689-693
302. Zealear DL, Billante CR, Courey MS, Netterville JL, Paniello RC, Sanders I, Herzon GD, Goding GS, Mann W, Ejnell H, Habets AM, Testerman R, Van de Heyning P. Reanimation of the paralyzed human larynx with an implantable electrical stimulation device. *Laryngoscope* 2003; 113: 1149-1156