

References

1. Jungehülsing M, Guntinas-Lichius O, Stennert E. Rehabilitation of chronic facial paralysis. 2. HNO 2001; 49(6):484-96.
2. Miehlke A, Stennert E, Arold R: Motorische Nerven. Arch für Ohren, Nasen- und Kehlkopfheilkunde 1981; 231 (1)
3. Gantz BJ, Rubinstein JT, Gidley P, Woodworth GG. Surgical management of Bell's palsy. Laryngoscope. 1999; 109(8):1177-88.
4. Stennert E. Bell's palsy - a new concept of treatment. Arch Otorhinolaryngol 1979; 225(4):265-8.
5. Adour KK, Ruboyianes JM, Von Doersten PG, Byl FM, Trent CS, Quesenberry CP Jr, Hitchcock T. Bell's palsy treatment with acyclovir and prednisone compared with prednisone alone: a double-blind, randomized, controlled trial. Ann Otol Rhinol Laryngol 1996; 105(5):371-380.
6. Bachor E, V. Bonkowsky, T. Hacki: Herpes simplex virus type 1 reactivation as a cause of a unilateral temporary paralysis of the vagus nerve. Eur Arch Otorhinolaryngol 1996; 253:297-300
7. Bonkowsky V, W. Arnold: Pathogenetische Aspekte bei der idiopathischen Fazialisparese HNO 1996; 44:477-488
8. Bonkowsky V, B. Kochanowski, J. Strutz. P. Pere, W. Hosemann, W. Arnold.
9. Delayed Facial palsy Following Uneventful Middle Ear Surgery: A Herpes Simplex Virus Type 1 Reactivation? Annals Otol Rhinol Laryngol 1998; 107 (11):901-905
10. Adour KK. Combination treatment with acyclovir and prednisone for Bell's palsy. Arch Otolaryngol Head Neck Surg 1998; 124(7):824.
11. Adour KK. Decompression for Bell's palsy: why I don't do it. Eur Arch Otorhinolaryngol. 2002; 259(1):40-7.
12. Laskawi R, Brauneis J, Damenz W, Schröder M. Hydroxyäthylstärke in der Therapie der Bellschen Fazialislähmung - Eine klinische Untersuchung. Laryngo-Rhino-Otol 1990; 69:163-165
13. Schrader B, Laskawi R, Schröder M, Chilla R, Brauneis J. Zur Therapie der Fazialisparese bei Zoster oticus mit Aciclovir. Laryngo-Rhino-Otol 1989; 68:141-143
14. Diels HJ: Neuromuscular retraining for facial paralysis. Otolaryngol Clin North Am 1997; 30: 727-743.
15. Shimono T, Hattori N, Yamamoto T, Takimoto I. EMG-biofeedback therapy for reduction of synkinesis. Facial N Res Jpn 1989; 9:189-192
16. Brudny J, Hammerschlag PE, Cohen NL, Ransohoff J. Electromyographic rehabilitation of facial function and introduction of a facial paralysis grading scale for hypoglossal-facial nerve anastomosis. Laryngoscope 1988; 98:405-410
17. Hammerschlag PE, Brudny J, Cusumano R, Cohen NL: Hypoglossal-facial nerve anastomosis and electromyographic feedback rehabilitation. Laryngoscope 1987; 97: 705-709.
18. May M, Croxon GR, Klein SR. Bell's palsy: management of sequelae using EMG rehabilitation, botulinum toxin, and surgery. Am J Otol 1989; 10: 220-229
19. Devriese P, Beurskens GH, van Heininger I. Rehabilitation of facial expression by Mime. Eur Arch Otorhinolaryngol Suppl 1994; 42:43
20. Beurskens CH, Heymans PG.. Positive effects of mime therapy on sequelae of facial paralysis: stiffness, lip mobility, and social and physical aspects of facial disability. Otol Neurotol 2003; 24(4):677-81.
21. Laskawi R. Combination of hypoglossal-facial nerve anastomosis and botulinum toxin injections to optimize mimic rehabilitation following removal of acoustic neurinomas. Plast Reconstr Surg 1997; 99: 1006-1011
22. Cohen LG, Bandinelli S, Findley TW, Hallett M. Motor reorganisation after upper limb amputation in man. Brain 1991; 114: 615-627
23. Rödel R, Markus H, Tergau F, Laskawi R: Bilateral changes of cortical motor representation of the tongue after unilateral peripheral facial paralysis. Evidence from transcranial magnetic stimulation. Ann Otol Rhinol Laryngol, im Druck
24. Laskawi R. Die therapeutische Anwendung von Botulinum-Toxin im Hals-Nasen-Ohren-Bereich. Teil 1: Die Behandlung von Bewegungsstörungen der mimischen Muskulatur. HNO 1998; 46:281-287
25. Laskawi R. Die therapeutische Anwendung von Botulinum-Toxin im Hals-Nasen-Ohren-Bereich. Teil 2: Bewegungsstörungen der kraniozervikalen Muskulatur (außer mimischer Muskulatur) und Störungen des Autonomen Nervensystems HNO 1998; 46:366-373
26. Rohrbach S, Laskawi R. Botulinum-Toxin in der Hals-Nasen-Ohrenheilkunde. Laryngo-Rhino-Otol 2003; 82:202-218
27. Rohrbach S, Laskawi R. Die Anwendung von Botulinum-Toxin in der Hals-Nasen-Ohrenheilkunde. HNO-Praxis heute. Springer Verlag, 2004, im Druck
28. Rohrbach S, Laskawi R. Praktische Anwendung von Botulinumtoxin im Kopf-Hals-Bereich. HNO 2004; 52:635-641
29. Scott AB, Kennedy RA, Stubbs HA. Botulinum A toxin injection as a treatment for blepharospasm. Arch Ophthalmol 1985; 103:347-350
30. Roggenkämper P, Laskawi R: Die Therapie des essentiellen Blepharospasmus. in: R. Laskawi und P. Roggenkämper (Hrsg.): Botulinum-Toxin-Therapie im Kopf- Halsbereich. Urban & Vogel München 2004
31. Laskawi R, Ellies M, Drobik C, Bätz A. Botulinum toxin treatment in patients

- with hemifacial spasm. Eur Arch Otorhinolaryngol 1994; 251:271-274
35. Laskawi R: Die Behandlung des Spasmus facialis mit Botulinum Toxin, in: R. Laskawi und P. Roggenkämper (Hrsg.): Botulinum-Toxin-Therapie im Kopf-Halsbereich. Urban & Vogel München 2004
36. Laskawi R, Damenz W, Roggenkämper P, Baetz A. Botulinum toxin treatment in patients with facial synkinesis. Eur Arch Otorhinolaryngol [Suppl] 1994;195-199
37. Roggenkämper P, Laskawi R, Damenz W, Schröder M, Nüßgens Z. Orbicular synkinesis after facial paralysis: treatment with botulinum toxin. Documenta Ophthalmologica 1994; 86:395-402
38. Rödel R, Christen HJ, Laskawi R. Aplasia of the depressor anguli oris muscle: A rare case of congenital lower lip palsy ? Neuropediatrics 1998; 29: 215-219
39. Stennert E, Limberg CH, Frentrup KP. Parese- und Defektheilungsindex -Ein leicht anwendbares Schema zur Objektivierung und Bewertung von Therapieerfolgen bei Fazialisparesen. HNO 1977; 25:238-245
40. Damenz W, Laskawi R, Schröder M, Brauneis J. Fandos-eine standardisierte computergestützte Dokumentation und Auswertung von Erkrankungen des Nervus facialis. HNO 1990; 38:116-118
41. Laskawi R, Ellies M, Rödel R, Schoenebeck C. Gustatory sweating - Clinical implications and etiologic aspects. J Oral Maxillofac Surg 1999; 57:642-648
42. Laskawi R, Drobik C, Schönebeck C. Up-to-date report of botulinum toxin treatment in patients with gustatory sweating. Laryngoscope 1998; 108:381-384
43. Burgess LPA, Goode RL. Reanimation of the paralysed face. Thieme 1994
44. Seifert G, Miehlke A, Haubrich J, Chilla R. Speicheldrüsenerkrankheiten. Thieme, 1984
45. Miehlke A. Surgery of the facial nerve. Urban & Schwarzenberg, München, Berlin, Wien, 1974
46. Penkert G, Fansa H: Peripheral nerve lesions. Springer 2004
47. Jungehülsing M, Guntinas-Lichius O, Stennert E. Rehabilitation in chronic facial paralysis. 1. HNO. 2001 May;49(5):418-26.
48. Arai H, Kiyoshi S, Akira Y. Hemihypoglossal-facial nerve anastomosis in treating unilateral facial palsy after acoustic neurinoma resection. J Neurosurg 1995; 82; 51-54
49. Atlas MD, Lowinger DSG. A new technique for hypoglossal-facial nerve repair. Laryngoscope 1997; 107: 984-991.
50. Chang CGS und Shen AL. Hypoglossofacial anastomosis for facial palsy after resection of acoustic neurinoma. Surg Neurol 1984; 21:282-286
51. Conley J, Baker DC. Hypoglossal-facial nerve anastomosis for reinnervation of the paralyzed face. Plast Reconstr. Surg 1979; 63, 1:63-72
52. Evans DM. Hypoglosso-facial anastomosis in the treatment of facial palsy. Br. J. Plast. Surg. 1974; 27: 251-257.
53. Falbe-Hansen J, Hermann S. Hypoglossal-facial anastomosis. A follow-up study of 25 patients. Acta Neurol. Scandav. 1967; 43: 472-478.
54. Hitselberger, W. Hypoglossal-facial anastomosis. Otolaryngol. Clin. North Am. 1974; 7: 545-550.
55. Kunihiro T, Kanzaki J, Yoshihara S, Satoh Y, Satoh A. Hypoglossal-facial nerve anastomosis after acoustic neuroma resection: Influence of the time of anastomosis on recovery of facial movement. ORL 1996; 58: 32-35.
56. Pensak ML, Jackson G, Glasscock ME, Gulya AJ. Facial reanimation with the VII-XII anastomosis: Analysis of the functional and psychologic results. Otolaryngol. Head Neck Surg. 1986; 94: 305-310
57. Pitty LF, Tator CH. Hypoglossal-facial nerve anastomosis for facial nerve palsy following surgery for cerebello-pontine angle tumours. J Neurosurg 1992; 77: 742-731
58. Sawamura Y, Hiroshi A. Hypoglossal-facial nerve side-to-end anastomosis for preservation of hypoglossal function: results of delayed treatment with a new technique. J. Neurosurg. 1997; 86: 203-206.
59. Stennert E. I. Hypoglossal facial Anastomose: Its significance for modern facial surgery. Clin. Plast. Surg. 1979; 3: 471-481.
60. Zehm S, Hartenau F. Die Hypoglossus-Fazialisanastomose. Laryng. Rhinol. 1981; 60: 437-440.
61. Körte W. Ein Fall von Nervenpflanzung des Nervus facialis auf den Nervus hypoglossus. Dtsch Med Wochenschr 1903; 29: 293-295
62. May M, Sobol SM, Mester SJ. Hypoglossal-facial nerve interpositional-jump graft for facial reanimation without tongue atrophy. Otolaryngol Head Neck Surg 1991; 104: 818-825
63. Manni JJ, Nicolai JPA, Beurskens C. Facial nerve-hypoglossal nerve jump anastomosis: surgical technique and indications: Clin. Otolaryngol. 1994; 19: 546.
64. Laskawi R, Rödel R. Möglichkeit der Optimierung des ästhetischen und funktionellen Resultates von Defektheilungen nach Facialisrekonstruktion und anderen facialem Hyperkinesien durch operative Platysmaausschaltung. Otorhinolaryngol Nova 1997; 1:27-30
65. Laskawi R, Rohrbach S, Rödel R. Surgical and nonsurgical treatment options in patients with movement disorders of the platysma. J Oral Maxillofac Surg 2002; 60:157-162
66. Schipper J, Arndt S, Maier W, Spetzger U, Ridder GJ. Lähmungen der mimischen Gesichtsmuskulatur – Ansa cervicalis nervi hypoglossi- Facialis-Anastomose alternativ zur Hypoglossus-Facialis-Anastomose ? Der Chirurg 2004;
67. Thumfart W, Stennert E. Verletzungen und Frakturen des Felsenbeins und

- der angrenzenden Schädelbasis. Archives Oto-Rhino-Laryngology Suppl .1988/I; p. 82-166
69. Guntinas-Lichius O. The facial nerve in the presence of a head and neck neoplasm assessment and outcome after surgical management. Curr Opin Otolaryngol Head Neck Surg 2004; 12:133-141
70. Rosenthal W. Über die muskuläre Neurotisation bei Fazialisparese. Zbl. Chir 1916; 43:489
71. Rubin L. Temporalis and masseter muscle Transposition. In: the facial nerve, May M (ed.), New York; Thieme, 1986 665-680.
72. Baker DC, Conley J. Regional muscle transposition for rehabilitation of the paralysed face. Clin Plast Surg 1979; 6:317-331
73. Sachs ME, Conley J. Intraoral masseter muscle transposition: use with reconstruction of regional facial paralysis. Arch Otolaryngol 1982; 108:397-400
74. Johnson J, Tucker HM. Selective reinnervation of paralysed facial muscles: A progress report. Trans Amer Acad Ophthal Otolaryngol 1977; 84
75. Tucker HM. Restoration of selective facial nerve function by nerve-muscle pedicle technique. Clin Plast Surg 1979; 6:301
76. Conley J. Regional muscle transposition for rehabilitation of the paralysed face. Clin Plast Surg 1979; 6:317
77. Terzis JK, Kalantarian B. Microsurgical strategies in 74 patients for restoration of dynamic muscle mechanism: a neglected target in facial reanimation. Plast Reconstr Surg 2000; 105 (6):1917-1931
78. Alexander GE, Moses H. Carbamazepine for hemifacial spasm. Neurology 1982; 32:286-287
79. Bernhardt. Neuer Beitrag zur Frage von den Erfolgen der Dehnung des Nervus facialis bei Fazialiskrampf. Arch Psychiatr Nervenkr 1884; 15:777-783
80. Campbell E, Keedy C. Hemifacial spasm: a note in the etiology in two cases. J Neurosurg 1947; 4:342-347
81. Coleman CC. Surgical treatment of facial spasm. Ann Surg Rhinol Laryngol 1937; 105:647-657
82. Coomes EN. Electrodiagnostic findings in clonic facial spasm and in faciohypoglossal anastomosis. Ann Phys Med London 1965; 8:48-57
83. Digre K, Corbett JJ. Hemifacial Spasm: Differential Diagnosis, Mechanism, and Treatment. Adv Neurol 1988; 49:151-176
84. Fisch U, Esslen E. The surgical treatment of facial hyperkinesia. Arch Otolaryngol 1972; 95:400-405
85. Gardner WJ, Sava GA. Hemifacial spasm - a reversible pathophysiologic state. J Neurosurg 1962; 19:240-247
86. German WJ. Surgical treatment of spasmodic facial tic. Surgery 1942; 11:912-914
87. Gilbert M. Haloperidol in severe facial dyskinesia. Dis Nerv Syst 1969; 16:481-482
88. Greenwood J. The surgical treatment of hemifacial spasm. J Neurosurg 1946; 3:506-510
89. Harris W, Wright AD. Treatment of clonic facial spasm. Lancet 1932; 1:657-662
90. Herzberg L. Management of hemifacial spasm with clonazepam. Neurology 1985; 35:1676-1677
91. Hori T, Fukushima T, Terao H, Takakura K, Sano K. Percutaneous radiofrequency facial nerve coagulation in the management of facial spasm. J Neurosurg 1981; 54:655-658
92. Hughes EC, Brackmann DE, Weinstein RC. Seventh nerve spasm: effect of modification of cholinergic balance. Otolaryngol Head Neck Surg 1980; 88:491-499
93. Jannetta PJ. Microvascular decompression for hemifacial spasm: in: May M (Hrsg.) The Facial Nerve, Thieme, Stuttgart, 1986, pp. 499-508
94. Marinello C, Baumberger K, Fisch U. Langzeitresultate der chirurgischen Therapie von Spasmus hemifacialis und Blepharospasmus. HNO 1979; 27:54-57
95. McCabe BF. Management of hyperfunction of the facial nerve. Ann Otol Rhinol Laryngol 1970; 79:252-258
96. Miehlke A. Probleme der operativen Behandlung des Spasmus facialis. Arch Ohr Heilk 1959; 175: 464-471
97. O'Donnell MC. Hemifacial spasm: an affection of the facial nerve. Ann Otol Rhinol Laryngol 1953; 62:969-978
98. Podvinec M, Pfaltz CR. Anatomische Aspekte der Chirurgie des Spasmus hemifacialis. Arch Otorhinolaryngol 1977; 216:637-638
99. Russel JSR. Facial spasm, in: A system of medicine, Vol. 8 ; Allbutt C, Rolleston HD (Hrsg.); Macmillian, London 1910, pp. 638-649
100. Stennert E, Limberg C, Laskawi R, Haubrich J. Recurrence of hemifacial spasm after hypoglossal-facial nerve anastomosis. in Portman M (ed.) „Facial nerve“, 1985; 48
101. Stieda A. Die chirurgische Behandlung des Facialiskrampfes. Arch Klin Chir 1931; 167:29-31
102. Takahashi T, Dohi S. Hemifacial spasm: a new technique of facial nerve blockade. Br J Anaesth 1983; 55:333-337
103. Wakasugi B. Facial nerve block in the treatment of facial spasm. Surg Neurol 1972; 19:244-246
104. Wanke R. Zur Behandlung des mimischen Gesichtskrampfes. Chirurg 1947; 18:640-642
105. Fish U. Extracranial surgery for facial hyperkinesis in: M. May (ed.) The facial nerve. Thieme, Stuttgart, 1986; pp 509-523
106. Jones TW, Waller RR, Samples JR. Myectomy for essential blepharospasm. Mayo Clin Proc 1985; 60:663-666
107. Jannetta PJ. The cause of hemifacial spasm: definitive microsurgical treatment at the brainstem in 31 patients. Trans Am Acad Ophthalmol Otolaryngol 1974; 80:319-322

108. Jannetta PJ. Trigeminal neuralgia and hemifacial spasm: etiology and definitive treatment. *Arch Neurol* 1975; 32:353
109. Jannetta PJ. Vascular compression of the facial nerve at the brainstem in hemifacial spasm: treatment by microsurgical decompression; in: Morley TP (Hrsg.) Current controversies in neurosurgery, Saunders, Philadelphia, 1976; pp. 435-442
110. Jannetta PJ. Hemifacial spasm; in: Samii M, Jannetta PJ (Hrsg.) The Cranial Nerves, Springer Berlin, 1981; pp.484-493
111. Jannetta PJ, Hackett E, Ruby JR. Electromyographic and electron microscopic correlates in hemifacial spasm treated by microsurgical relief of neurovascular compression. *Surg Forum* 1979; 21:449-451
112. Jannetta PJ, Abbasy M, Maroon JC, Ramos FM, Albin MS. Etiology and definitive microsurgical treatment of hemifacial spasm. *J Neurosurg* 1977; 47:321-328
113. Streppel M, Popratiloff A, Gruart A, Angelov DN, Guntinas-Lichius O, Delgado-Garcia JM, Neiss WF, Stennert E. Morphological connections between the Hypoglossal and facial nerve in the brain stem of the rat. *HNO*. 2000 Dec; 48(12):911-6.
114. Kiese-Himmel C, Laskawi R, Wrede S: Psychosoziale Probleme und Krankheitsverarbeitung von Patienten mit Defektheilung nach Fazialisparese. *HNO* 1993; 41: 261-267.
115. Toldi J, Laskawi R, Landgrebe M, Wolff J: Biphasic reorganisation of somatotopy in the primary motor cortex follows facial nerve lesions in adult rats. *Neurosci Lett* 1996; 203: 179-182.
116. Laskawi R. Zentralnervöse Veränderungen nach verschiedenartigen Eingriffen in die Funktion des Nervus facialis der Ratte. Med. Habil.-Schrift, Göttingen 1994
117. Thanos PK, Okajima S, Tiangco DA, Terzis JK. Insulin-like growth factor-I promotes nerve regeneration through a nerve graft in an experimental model of facial paralysis. *Restor Neurol Neurosci*. 1999;15(1):57-71.
118. Thanos PK, Tiangco DA, Terzis JK. Enhanced reinnervation of the paralyzed orbicularis oculi muscle after insulin-like growth factor-I (IGF-I) delivery to a nerve graft.
119. *J Reconstr Microsurg.* 2001 Jul;17(5):357-62.
120. Tiangco DA, Papakonstantinou KC, Mullinax KA, Terzis JK. IGF-I and end-to-side nerve repair: a dose-response study. *J Reconstr Microsurg.* 2001 May;17(4):247-56.
121. Werner J. Aktueller Stand der Versorgung des Lymphabflusses maligner Kopf-Hals-Tumoren. Deutsche Gesellschaft für Hals-Nasen-Ohren-Heilkunde, Kopf und Hals-Chirurgie. Verhandlungsbericht 1997. Springer; p. 47-85
122. Schmidt D, Malin JP: Erkrankungen der Hirnnerven. Thieme, 1995
123. Mc Neely ML, Parliament M, Corneya KS, Seikaly H, Jha N, Crimger R, Hanson J. A pilot study of a randomized controlled trial to evaluate the effects of progressive resistance exercise training on shoulder dysfunction caused by spinal accessory neurapraxia/neurectomy in head and neck cancer survivors. *Head Neck* 2004; 26:518-530
124. Fechner B. Persönliche Mitteilung. 2004
125. Stacy M. Idiopathic cervical dystonia: an overview. *Neurology* 2000; 55: S2-S8
126. Kessler KR, Skutta M, Benecke R. Long-term treatment of cervical dystonia with botulinum toxin A. Efficacy, safety and antibody frequency. *J Neurol* 1999; 246: 265-274
127. Benecke R, Dressler D. Zervikale Dystonie. in: R. Laskawi und P. Roggenkämper (Hrsg.): Botulinum-Toxin-Therapie im Kopf- Halsbereich. Urban & Vogel München 2004
128. Smania N, Corato E, Tinazzi M, Montagnana B, Fiaschi A, Aglioti SM. The effect of two different rehabilitation treatments in cervical dystonia: preliminary results in four patients. *Funct Neurol* 2003; 18:219-225
129. Chandawarkar RY, Cervino L, Pennington GA. Management of iatrogenic injury to the spinal accessory nerve. *Plast Reconstr Surg* 2003;111;611-617
130. Cohen-Gadol AA, Ahlskog JE, Matsumoto JY, Swenson MA, McClelland RL, Davis DH. Selective peripheral denervation for the treatment of intractable spasmodic torticollis: experience with 168 patients at the Mayo Clinic. *J Neurosurg*. 2003 Jun;98(6):1247-54.
131. Meyer CH. Outcome of selective peripheral denervation for cervical dystonia. *Stereotact Funct Neurosurg*. 2001;77(1-4):44-47
132. Braun V, Richter HP. Selective peripheral denervation for spasmodic torticollis: 13-year experience with 155 patients. *J Neurosurg Spine*. 2002 Sep;97(2):207-12.
133. Chen X, Ma A, Liang J, Ji S, Pei S. Selective denervation and resection of cervical muscles in the treatment of spasmodic torticollis: long-term follow-up results in 207 cases. *Stereotact Funct Neurosurg*. 2000;75(2-3):96-102.
134. Taira T, Hori T. A novel denervation procedure for idiopathic cervical dystonia. *Stereotact Funct Neurosurg*. 2003;80(1-4):92-5.
135. Loher TJ, Pohle T, Krauss JK. Functional stereotactic surgery for treatment of cervical dystonia: review of the experience from the lesional era. *Stereotact Funct Neurosurg* 2004; 82:1-13
136. Wirth G. Sprachstörungen, Sprechstörungen, Kindliche Hörstörungen. Deutscher Ärzteverlag, 1994
137. Böhme G. Sprach-, Sprech-, Stimm- und Schluckstörungen. Fischer, 1997
138. Pascher W, Bauer H. Differentialdiagnose von Sprach, Stimm- und Hörstörungen. Edition Wötzl, 1984
139. Laskawi R, Rohrbach S (2001). Oromandibuläre Dystonien. *Laryngo-Rhino-Otol* 80: 708-713

140. Rödel R, Laskawi R. Hypoglossal-Facial Nerve Anastomosis (HFA): Patients' self-assessment of facial function. ORL Nova 1998; 8:312-317
141. Rubin LR, Mishriki JJ, Speace G. Re-animation of the hemiparalytic tongue. Plast Reconstr Surg 1984; 73: 184-194
142. Rubin LR. Reanimation of the hemiparalytic tongue. In: The paralysed face, Rubin LR (rd). St. Louis: Mosby Year Book, 1991; 228-233
143. Schneider I, Thumfart WF, Pototschnig C, Eckel HE. Treatment of dysfunction of the cricopharyngeal muscle with botulinum A toxin: introduction of a new, noninvasive method. Ann Otol Rhinol Laryngol 1994; 103: 31-35
144. McKenna JA, Dedo HH (1992). Cricopharyngeal myotomy. Indications and technique. Ann Otol Rhinol Laryngol 101: 216-221
145. Blitzer A. Cricopharyngeal muscle spasm and dysphagia. Op Tech Otolaryngol Head Neck Surg 1997; 116: 328-329
146. Pototschnig W, Thumfart WF. Die Behandlung von Schluckstörungen. in: R. Laskawi und P. Roggenkämper (Hrsg.): Botulinum-Toxin-Therapie im Kopf-Halsbereich. Urban & Vogel München 2004