

References

1. Neuhuber WL. Besonderheiten der Innervation des Kopf-Hals-Bereichs. Orthopäde 1998; 27:794-801
2. Wolff H-D (Hrsg.). Die Sonderstellung des Kopfgelenkbereichs. Berlin, Heidelberg, New York, London, Paris, Tokyo: Springer, 1988
3. Wolff H-D. Neurophysiologische Aspekte des Bewegungssystems. Berlin, Heidelberg, New York, Barcelona, Budapest, Hong Kong, London, Mailand, Paris, Santa Clara, Singapur, Tokyo: Springer, 1996
4. Sherrington C (1947) The integrative action of the nervous system. Yale Univ Press, New Haven
5. Ernst A, Meyer-Holz J, Weller E. Manuelle Medizin an der HWS. Stuttgart: Thieme, 1998
6. Lewit K. Manuelle Medizin. Leipzig, Berlin, Heidelberg: Johann Ambrosius Barth, 1992
7. Schneider W, Dvorák J, Dvorák V, Tritschler T. Manuelle Medizin. Stuttgart, New York: Georg Thieme, 1986
8. Eder M, Tilscher H. Chirotherapie. Stuttgart: Hippokrates, 1995
9. Chaitow, L. Modern neuromuscular techniques. Churchill Livingstone London 1996
10. Adler SA, Beckers D, Buck M. PNF. Berlin Heidelberg N. York: Springer, 1993
11. Upledger JE, Vredevoogd JD. Craniosacral therapy. Seattle : Eastland Press, 1983
12. Kisner C, Colby LA. Therapeutic Exercise. Foundations and Techniques. Philadelphia: F.A. Davis Company, 1996
13. Curatolo M, Petersen-Felix S, Arendt-Nielsen L, Giani C, Zbinden AM, Radanov BP. Central hypersensitivity in chronic pain after whiplash injury. The Clinical Journal of Pain 2001; 17:306-315
14. Banic B, Petersen-Felix S, Andersen OK, Radanov BP, Villiger PM, Arendt-Nielsen L, Curatolo M. Evidence for spinal cord hypersensitivity in chronic pain after whiplash injury and in fibromyalgia. Pain 2004; 107:7-15
15. Feng FL, Schofferman J. Chronic neck pain and cervicogenic headache. Curr Treat Options Neurol 2003; 5:493-498
16. Tilscher H, Eder M. Infiltrationstherapie. Stuttgart: Hippokrates, 1991
17. Olivegren H, Jerkvall N, Hagström Y, Carlsson J. The long-term prognosis of whiplash-associated disorders (WAD). Eur Spine J 1999;8:366-370
18. Suissa S, Harder S, Veilleux M. The relation between initial symptoms and signs and the prognosis of whiplash. Eur Spine J 2001; 10: 44-49
19. Kasch H, Stengaard-Petersen K, Arendt-Nielsen L, Jensen TS. Headache, neck pain, and neck mobility after acute whiplash injury. Spine 2001; 26:1246-1251
20. Sullivan MJ, Hall E, Bartolacci R, Sullivan ME, Adams H. Perceived cognitive deficits, emotional distress and disability following whiplash injury. Pain Res Manag 2002; 7:120-126
21. Freeman MD, Croft AC, Rossignol AM. Whiplash associated disorders: Redefining whiplash and its management by the Quebec Task Force. Spine 1998; 23:1043-1049
22. Levine A. Spine Trauma. Philadelphia: Saunders, 1998
23. NIH Consensus Statement on rehabilitation of persons with traumatic brain injury.
24. JAMA 1999; 282:974-983
25. Patel RV, DeLong W JR, Vresilovic EJ. Evaluation and treatment of spinal injuries in the patient with polytrauma. Clin Orthop. 2004; 422: 43-54
26. Sonderlund A, Lindberg P. Whiplash-associated disorders – predicting disability from a process-oriented perspective of coping. Clin Rehabil 2003; 17:101-107
27. Foreman SM, Croft AC. Whiplash Injuries. Baltimore: Williams & Wilkins, 1995
28. Spitzer WO, Skovron ML, Salmi LR et al. Scientific monograph of the Quebec Task Force on whiplash-associated disorders: redefining whiplash and its management. Spine 1995; 20 (Suppl 8): S1-S73
29. Carette S. Whiplash injury and the chronic neck pain. N Engl J Med 1994; 330:1083-1084
30. Hartling L, Brison RJ, Ardern C, Pickett W. Prognostic value of the Quebec Classification of Whiplash Associated Disorders. Spine 2001; 26: 36-41
31. Khan S, Bannister G, Gargan M, Asopa V, Edwards A. Prognosis following a second whiplash injury. Injury, Int. J. Care Injured 2000; 31: 249-251
32. Romero I, Gerber C. Levator scapoloe and rhomboid transfer for paralysis of trapezius. J Bone Joint Surg 2003 ; 85 :1141-1145
33. Chen PQ, Wang JL, Tsuang YH, Liao TL, Huang PI, Hang YS. The postural stability control and gait pattern of idiopathic scoliosis adolescents. Clin Biomech 1998; 13 (Suppl 1): 52-58
34. Manzoni D, Miele F. Vestibular mechanism involved in idiopathic scoliosis. Arch Ital Biol 2002; 140: 67-80
35. Sjostrom H, Allum JJJ, Carpenter MG et al. Trunk sway measures of postural stability during clinical balance tests in patients with chronic whiplash injury symptoms. Spine 2003; 28: 1725-1734
36. Ernst A, Basta D, Todt I, Seidl R O, Scherer H, Clarke A. Management of posttraumatic vertigo. Otol. Head & Neck Surg 2004 (in press)
37. Nölle D, Todt I, Ernst A. Pathophysiological changes of the central auditory pathway after blunt trauma of the head. J Neurotrauma 2003; 21: 251-258
38. Seidl RO, Nusser-Müller-Busch R, Ernst A. Management of neurogenic dysphagia. Otol. Head & Neck Surg 2004 (in press)
39. Otol. Head & Neck Surg 2004 (in press)

Lost Cervical Spine Function

40. Freesmeyer WB. Zahnärztliche Funktionstherapie. München, Wien: Carl Hanser, 1993